

SRM VALLIAMMAI ENGINEERING COLLEGE

(An Autonomous Institution)

S.R.M. Nagar, Kattankulathur - 603203

DEPARTMENT OF MATHEMATICS

QUESTION BANK



IV SEMESTER

B.E-Agriculture Engineering

**MA3426- APPLIED MATHEMATICS FOR AGRICULTURAL
ENGINEERING**

Regulation – 2023

Academic Year – 2024 - 25

Prepared by

Dr.A.N.REVATHI , Assistant Professor / Mathematics



SRM VALLIAMMAI ENGINEERING COLLEGE

(An Autonomous Institution)



SRM Nagar, Kattankulathur – 603203.

DEPARTMENT OF MATHEMATICS

SUBJECT : MA3426- APPLIED MATHEMATICS FOR AGRICULTURAL ENGINEERING

SEM / YEAR : IV SEMESTER /II YEAR (AGRICULTURAL ENGINEERING)

S.No	QUESTIONS	BT Level	Competence	COs
UNIT-I: ORDINARY DIFFERENTIAL EQUATIONS				
Higher order linear differential equations with constant coefficients – Method of variation of parameters.				
Part - A (2 MARK QUESTIONS)				
1.	Solve $(D^2 + 5D + 6)y = 0$.	BTL-2	Understanding	CO1
2.	Solve $(D^2 + 7D + 12)y = 0$.	BTL-2	Understanding	CO1
3.	Solve $(D^2 + 3D + 2)y$	BTL-2	Understanding	CO1
4.	Solve $(D - 1)^2 y = 0$	BTL-2	Understanding	CO1
5.	Find the complementary function of $y'' - 4y' + 4y = 0$.	BTL-1	Remembering	CO1
6.	Find the solution $(D^2 + 2D + 1)y$	BTL-2	Understanding	CO1
7.	Solve $(D^2 + 1)y = 0$.	BTL-2	Understanding	CO1
8.	Solve $(D^2 + a^2)y = 0$	BTL-2	Understanding	CO1
9.	Solve $(D^4 + D^3 + D^2)y = 0$	BTL-2	Understanding	CO1
10.	Solve $(D^4 - 1)y = 0$.	BTL-2	Understanding	CO1
11.	Find the complementary function of $(D^2 + 4)y = \sin 2x$.	BTL-1	Remembering	CO1
12.	Estimate the P.I of $(D^3 + 3D^2 + 3D + 1)y = e^{-x}$.	BTL-1	Remembering	CO1
13.	Solve $(D^3 - 6D^2 + 11D - 6)y$	BTL-1	Remembering	CO1
14.	Find the particular Integral for $(D^2 - 2D + 1)y = 2e^x$.	BTL-2	Understanding	CO1
15.	Estimate the P.I of $(D^2 - 4D + 4)y = e^{2x}$	BTL-1	Remembering	CO1
16.	Find the P.I of $(D^2 + 4D + 5)y = e^{-2x}$	BTL-1	Remembering	CO1
17.	Estimate the P.I of $(D^2 + 5D + 4)y = \sin 2x$.	BTL-2	Understanding	CO1
18.	Find the P.I of $(D^2 + 1)y = \cos 2x$	BTL-1	Remembering	CO1
19.	Find the P.I of $(D^2 + 2)y = x^2$	BTL-1	Remembering	CO1
20.	Find the P.I. of $(D - a)^2 y = e^{ax} \sin x$	BTL-1	Remembering	CO1
21.	Describe method of variation of parameter	BTL-1	Remembering	CO1
22.	Write the Wronskian in method of variation of parameter	BTL-1	Remembering	CO1
23.	Write the value of P in finding particular integral in solving ODE using method of variation of parameter	BTL-1	Remembering	CO1
24.	Write the value of Q in finding particular integral in solving ODE using method of variation of parameter	BTL-1	Remembering	CO1
25.	Write the formula for finding particular integral in solving ODE using method of variation of parameter	BTL-1	Remembering	CO1
PART - B (16 MARK QUESTIONS)				
1.	Analyze the solution of $(D^3 - 6D^2 + 11D - 6)y = e^{-2x} + e^{-3x}$	BTL-4	Analyzing	CO1

2.	Analyze the solution of $(D^2 + 2D + 2)y = e^{-2x} + \cos 2x$.	BTL-4	Analyzing	CO1
3.	Analyze the solution of $(D^3 - 1)y = e^{2x}$.	BTL-4	Analyzing	CO1
4.(a)	Analyze the solution of $(D^2 + 4)y = \cos 2x + \sin 3x$.	BTL-4	Analyzing	CO1
4.(b)	Analyze the solution of $(2D^3 - D^2 + 4D - 2)y = e^x$	BTL-4	Analyzing	CO1
5.	Analyze the solution of $(D^2 + 3D + 2)y = \sin 3x$.	BTL-4	Analyzing	CO1
6.(a)	Analyze the solution of $(4D^2 + 4D - 3)y = e^{2x}$	BTL-4	Analyzing	CO1
6.(b)	Analyze the solution of $(D^2 + 4)y = \sin 3x + \cos 2x$.	BTL-4	Analyzing	CO1
7.	Analyze the solution of $(D^2 + 1)y = \sin x \sin 2x$.	BTL-4	Analyzing	CO1
8.(a)	Analyze the solution of $(D^2 - 6D + 9)y = 2x^2 - x + 3$	BTL-4	Analyzing	CO1
8.(b)	Analyze the solution of $(D^2 - 2D + 5)y = e^x \cos 2x$	BTL-4	Analyzing	CO1
9.	Analyze the solution of $(D^2 - 4D + 4)y = e^{-4x} + 5\cos 3x$	BTL-4	Analyzing	CO1
10(a)	Analyze the solution of $(D^2 + 5D + 4)y = 4e^{-x} + x$	BTL-4	Analyzing	CO1
10(b)	Analyze the solution of $(D^2 + 4D + 3)y = e^{-x} \sin x$	BTL-4	Analyzing	CO1
11.	Analyze the solution of $(D^2 + 2D + 1)y = e^{-x} x^2$	BTL-4	Analyzing	CO1
12(a)	Analyze the solution of $(D^2 + 4)y = x^2 \cos 2x$.	BTL-4	Analyzing	CO1
12(b)	Analyze the solution of $(D^2 + 4D - 12)y = (x - 1)e^{2x}$	BTL-4	Analyzing	CO1
13.	Analyze the solution of $(D^2 + 1)y = x \cos x$	BTL-4	Analyzing	CO1
14	(i) Apply method of variation of parameters to solve $y'' + y = \tan x$	BTL-3	Applying	CO1
15.	Apply method of variation of parameters to solve $(D^2 + a^2)y = \tan ax$	BTL-3	Applying	CO1
16.	Apply method of variation of parameters to solve $y'' + y = \cot x$	BTL-3	Applying	CO1
17.	Apply method of variation of parameters to solve $(D^2 + a^2)y = \sec ax$	BTL-3	Applying	CO1
18.	Using the method of variation of parameter solve $(D^2 - 6D + 9)y = \frac{e^{3x}}{x^2}$	BTL-3	Applying	CO1

UNIT II – Special Distributions

Bernoulli, Binomial, Poisson, Uniform, Exponential and Normal distributions.

PART-A (2 MARK QUESTIONS)

1.	Write the probability function of Binomial Distribution.	BTL-1	Remembering	CO2
2.	The mean and variance of binomial distribution are 5 and 4 Find the distribution of X.	BTL-1	Remembering	CO2
3.	If 3% of the electric bulbs manufactured by a company are defective, Find the probability that in a sample of 100 bulbs exactly 5 bulbs are defective.	BTL-2	Understanding	CO2
4.	For a Binomial distribution the mean is 6 and standard deviation is $\sqrt{2}$. Find parameters of the distribution	BTL-1	Remembering	CO2
5.	If the mean and variance of a binomial distribution are respectively 6 and 2.4, find $P(x=2)$.	BTL-1	Remembering	CO2
6	A farmer plants 5 seeds, and the probability of a seed germinating is 0.8. What is the probability of exactly 4 seeds germinating?	BTL-2	Understanding	CO2
7.	In a pest infestation, the probability of a plant being infected is 0.1. Find the probability of no infection among 5 plants.	BTL-2	Understanding	CO2
8	Define Normal distribution	BTL-1	Remembering	CO2
9.	State any two properties of normal distribution.	BTL-1	Remembering	CO2
10.	The weights of harvested tomatoes follow a normal distribution with mean 1.5 kg and standard deviation 0.3 kg. What proportion of tomatoes weigh more than 2 kg?	BTL-2	Understanding	CO2

11.	Define the Poisson distribution and mention one agricultural application.	BTL-2	Understanding	CO2
12.	Suppose that, on an average, in every three pages of a book there is one typographical error. If the number of typographical errors on a single page of the book is a Poisson random variable. What is the probability if at least one error on a specific page of the book?	BTL-2	Understanding	CO2
13.	Suppose that X has a Poisson distribution with parameter $\lambda = 2$. Compute $P[X \geq 1]$.	BTL-2	Understanding	CO2
14.	If X is a Poisson distribution such that $P(x = 1) = 4 P(x = 2)$. Find its mean and variance.	BTL-2	Understanding	CO2
15.	State the conditions under which a random variable follows a Poisson distribution.	BTL-1	Remembering	CO2
16.	Define the exponential distribution and its relationship to the Poisson distribution.	BTL-2	Remembering	CO2
17.	A field has an average of 5 weeds per square meter. What is the probability of finding no weeds in a square meter?	BTL-2	Understanding	CO2
18.	Write the probability density function of an exponential distribution.	BTL-1	Remembering	CO2
19.	Define the exponential distribution and its relationship to the Poisson distribution.	BTL-1	Remembering	CO2
20.	If the time between irrigation system failures follows an exponential distribution with a mean of 10 days, what is the probability of a failure occurring within the first 5 days?	BTL-2	Understanding	CO2
21.	A machine in a crop processing plant has a failure rate of 0.1 failures per hour. What is the probability that the machine works for at least 8 hours without failure?	BTL-2	Understanding	CO2
22.	State the memory less property of the exponential distribution.	BTL-1	Remembering	CO2
23.	Define the uniform distribution and provide an example in agriculture.	BTL-2	Understanding	CO2
24.	A field is equally likely to have rainfall between 0 mm and 100 mm. What is the probability of rainfall being between 40 mm and 70 mm?	BTL-2	Understanding	CO2
25.	If the soil moisture content is uniformly distributed between 15% and 25%, what is the probability of it being below 18%?	BTL-2	Understanding	CO2
PART B (16 Mark Questions)				
1.(a)	Find the MGF of Binomial distribution and hence find its mean and variance.	BTL-3	Applying	CO2
1. (b)	Assume that 50% of all engineering students are good in mathematics. Determine the probabilities that among 18 engineering students (i) exactly 10, (ii) atleast 10 are good in mathematics.	BTL-3	Applying	CO2
2. (a)	A coin is biased so that a head is twice as likely to appear as a tail. If the coin is tossed 6 times, find the probabilities of getting (1) Exactly 2 heads, (2) at least 3 heads, (3) at most 4 heads.	BTL-4	Analyzing	CO2
2.(b)	In an agricultural experiment, the probability of a plant surviving after being transplanted is 0.75. If 15 plants are transplanted, find the probability that: (a) Exactly 10 plants survive. (b) At least 12 plants survive. (c) At most 8 plants survive.	BTL-4	Analyzing	CO2

3.	The probability of a man hitting a target is $\frac{1}{4}$. If he fires 7 times, what is the probability of his hitting the target at least twice? And how many times must he fire so that the probability of his hitting the target at least once is greater than $\frac{2}{3}$?	BTL-3	Applying	CO2
4.	Out of 2000 families with 4 children each, Find how many family would you expect to have i) at least 1 boy ii) 2 boys iii) 1 or 2 girls iv) no girls	BTL-4	Analyzing	CO2
5.	A farmer plants 20 seeds, and each seed has a 60% chance of germinating. Using the binomial distribution, calculate the following: (a) The probability that exactly 12 seeds will germinate. (b) The probability that at least 15 seeds will germinate. (c) The expected number of seeds that will germinate. (d) The standard deviation of the number of germinated seeds.	BTL-4	Analyzing	CO2
6. (a)	Derive the MGF of Poisson distribution and hence find its mean and variance.	BTL-3	Applying	CO2
6.(b)	Messages arrive at a switch board in a Poisson manner at an average rate of 6 per hour. Find the probability that exactly 2 messages arrive within one hour, no messages arrive within one hour and at least 3 messages arrive within one hour.	BTL-3	Applying	CO2
7.	The number of monthly breakdowns of a computer is a random variable having a Poisson distribution with mean equal to 1.8. Find the probability that this computer will function for a month (1) without breakdown (2) with only one breakdown and (3) with at least one breakdown.	BTL-4	Analyzing	CO2
8.	The life (in years) of a certain electrical switch has an exponential distribution with an average life of $\frac{1}{\lambda} = 2$. If 100 of these switches are installed in different systems; find the probability that atmost 30 fail during the first year.	BTL-4	Analyzing	CO2
9.(a)	The average number of pests observed in a specific crop field per week is 5. Use the Poisson distribution to calculate: (a) The probability that no pests are observed in a given week. (b) The probability that exactly 3 pests are observed in a week. (c) The probability of observing more than 6 pests in a week.	BTL-3	Applying	CO2
9.(b)	The marks obtained by a number of students for a certain subject is assumed to be normally distributed with mean 65 and standard deviation 5. If 3 students are taken at random from this set. Find the probability that exactly 2 of them will have marks over 70?	BTL-4	Analyzing	CO2
10.	In a field of maize, pests appear according to a Poisson distribution with a mean of 4 pests per week. For a period of 2 weeks: (a) Calculate the probability of having exactly 5 pests in total over the 2 weeks. (b) What is the probability that there are more than 6 pests in the 2-week period? (c) Find the expected number of pests in the 2-week period and the standard deviation.	BTL-4	Analyzing	CO2
11.	In an Engineering examination, a student is considered to have failed, secured second class, first class and distinction, according as he scores less than 45%, between 45% and 60% between 60% and 75% and above 75% respectively. In a particular year 10% of the students failed in the examination and 5% of the students get distinction. Find the percentage	BTL-4	Analyzing	CO2

	of students who have got first class and second class. Assume normal distribution of marks.			
12.	A bank manager has learnt that the length of time the customers have to wait for being attended by the teller is normally distributed with mean time of 5 minutes and standard deviation of 0.8 minutes. Find the probability that a customer has to wait (i) For less than 6 minutes (ii) For more than 3.5 minutes and between 3.4 and 6.2 minutes.	BTL-3	Applying	CO2
13.	Derive MGF, Mean, Variance of Normal distribution.	BTL-3	Applying	CO2
14.	If X follows a normal distribution with mean 12 and variance 16 cm, find the probabilities for (i) $P(X \leq 20)$ (ii) $P(X \geq 20)$, and (iii) $P(0 \leq X \leq 12)$	BTL-3	Applying	CO2
15.(a)	X is a normal variable with mean 30 and standard deviation of 5. Find (i) $P[26 \leq X \leq 40]$ (ii) $P[X \geq 45]$ (iii) $P[X < 30]$	BTL-3	Applying	CO2
15.(b)	In a normal population with mean 15 and standard deviation 3.5, it is found that 647 observations exceed 16.25. What is the total number of observations in the population.	BTL-3	Applying	CO2
16.(a)	Find the MGF of Uniform distribution and hence find its mean and variance.	BTL-3	Applying	CO2
16.(b)	The growth rate of a certain variety of wheat is uniformly distributed between 4 and 6 cm per week. Calculate the probability that: (a) The growth rate is less than 5 cm per week. (b) The growth rate is between 4.5 and 5.5 cm per week.	BTL-4	Analyzing	CO2
17.(a)	Suppose that the life of a industrial lamp in 1,000 of hours is exponentially distributed with mean life of 3,000 hours. Find the probability that (i)The lamp last more than the mean life (ii) The lamp last between 2,000 and 3,000 hours (iii) The lamp last another 1,000 hours given that it has already lasted for 250 hours.	BTL-3	Applying	CO2
17.(b)	The time between the arrival of trucks at a grain storage facility follows an exponential distribution with a mean time of 30 minutes. Find the probability that: (a) The time between two trucks is less than 20 minutes. (b) The time between two trucks is more than 40 minutes.	BTL-3	Applying	CO2
18.	The lifetime of an agricultural irrigation pump follows an exponential distribution with an average lifetime of 2000 hours. For a sample of 10 pumps: (a) Find the probability that at least 5 pumps last more than 2500 hours. (b) Find the probability that exactly 3 pumps last between 1800 and 2200 hours. (c) What is the probability that a pump will last more than 3000 hours?	BTL-3	Applying	CO2

UNIT III – ESTIMATION and SAMPLING DISTRIBUTION

Population, Sample, Parameters, Point, Estimation, Unbiasedness, Consistency, Comparing two estimators

PART-A(2 Mark Questions)				
1.	State the conditions under which a binomial distribution becomes a normal distribution.	BTL -2	Understanding	CO3
2.	Explain how do you calculate 95% confidence interval for the average of the population?	BTL -1	Remembering	CO3
3.	Find the maximum likelihood estimates for the population mean when the population variance is known for random sampling from a normal population.	BTL -1	Remembering	CO3
4.	Obtain the maximum likelihood estimator of $f(x, \theta) = (1 + \theta)x^\theta, 0 < x < 1$ based on a random sample of size x .	BTL -1	Remembering	CO3
5.	Write the normal equations for fitting a straight line by the method of least squares.	BTL -1	Remembering	CO3
6.	An automobile repair shop has taken a random sample of 40 services that the average service time on an automobile is 130 minutes with a standard deviation of 26 minutes. Compute the standard error of the mean.	BTL -2	Understanding	CO3
7.	Two variables X and Y have the regression lines $3X + 2Y - 26 = 0$, $6X + Y - 31 = 0$, Find the mean value of X and Y.	BTL -2	Understanding	CO3
8.	State any two properties of regression lines.	BTL -1	Remembering	CO3
9.	Let the lines of regression concerning two variables x and y be given by $y = 32 - x$ and $x = 13 - 0.25y$. Obtain the values of the means.	BTL -2	Understanding	CO3
10.	What are the merits and demerits of the least square method.	BTL -1	Remembering	CO3
11.	Give the normal equations to fit the parabola $y = a + bx + cx^2$	BTL -2	Understanding	CO3
12.	Can $Y = 5 + 2.8x$ and $X = 3 - 0.5y$ be the estimated regression equations of y on x and x on y respectively? Explain.	BTL -1	Remembering	CO3
13.	Define confidence coefficient.	BTL-1	Remembering	CO3
14.	What is the level of significance in testing of hypothesis?	BTL -1	Remembering	CO3
15.	Define confidence limits for a parameter.	BTL -2	Understanding	CO3
16.	Define estimator, estimate and estimation.	BTL-1	Remembering	CO3
17.	Distinguish between point estimation and interval estimation.	BTL-1	Remembering	CO3
18.	Mention the properties of a good estimator.	BTL-1	Remembering	CO3
19.	What is meant by maximum likelihood estimator?	BTL -2	Understanding	CO3
20.	What is the definition of an efficient estimator in estimation theory?	BTL -2	Understanding	CO3
21.	What is a sufficient statistic in estimation theory?	BTL -2	Understanding	CO3
22.	What is the definition of an efficient estimator in estimation theory?	BTL -2	Understanding	CO3
23.	Define unbiasedness of a good estimator.	BTL -2	Understanding	CO3
24.	How do you check if an estimator is consistent?	BTL -1	Remembering	CO3
25.	What does it mean for an estimator to be consistent?	BTL -1	Remembering	CO3
PART-B (16 Marks Questions)				
1.	For a random sampling from a normal population find the maximum likelihood estimators for i) The population mean, when the population variance is known. ii) The population variance, when the population mean is known. iii) The simultaneous estimation of both the population mean and variance.	BTL -3	Applying	CO3
2.	Obtain the lines of regression	BTL -3	Applying	CO3

		X	50	55	50	60	65	65	65	60	60				
		Y	11	14	13	16	16	15	15	14	13				
3.	The price of a commodity during 93-98 are given below. Fit a parabola $y = a + bx + cx^2$ to these data. Calculate the trend values, estimate the period of the commodity for the year 1999.											BTL -3	Applying	CO3	
	X	1993			1994			1995		1996					
	Y	100			107			128		140					
4.	The following data relate to the marks of 10 students in the internal test and the university examination for the maximum of 50 in each. Internal Marks : 25 28 30 32 35 36 38 39 42 45 University Marks : 20 26 29 30 25 18 26 35 35 46 a) Obtain the equations of the lines of regression b) The most likely internal mark for the university mark of 25 c) The most likely university mark for the internal mark of 30.											BTL -3	Applying	CO3	
5.	Find the maximum likelihood estimate for the parameter λ of a poisson distribution on the basis of a sample of size n. Also find its variance. Show that the sample mean \bar{x} is sufficient for estimating the parameter λ of the poisson distribution.											BTL -3	Applying	CO3	
6.	Fit a straight line $y = a + bx$ for the following data by the principle of least squares. X: 0 1 2 3 4 Y : 1 1.8 3.3 4.5 6.3 Also find the value of y when $x = 1.5$											BTL -4	Understanding	CO3	
7.(a)	A random sample $(X_1, X_2, X_3, X_4, X_5)$ of size 5 is drawn from a population with unknown mean μ . Consider the following estimators to estimate μ . $t_1 = \frac{(x_1 + x_2 + x_3 + x_4 + x_5)}{5}$, $t_2 = \frac{(x_1 + x_2)}{2} + X_3$ and $t_3 = \frac{(2x_1 + x_2 + \lambda x_3)}{3}$ is such that t_3 is an unbiased estimator of μ . Find λ . Are t_1 and t_2 unbiased? State giving reason, the estimator which is best among $t_1, t_2,$ and t_3 .											BTL -3	Applying	CO3	
7.(b)	Find the most likely price in Bombay corresponding to the price of Rs. 70 at Calcutta from the following : Calcutta Bombay Average Price 65 67 Standard deviation 2.5 3.5 Correlation coefficient between the prices of commodities in the two cities is 0.8.											BTL -3	Applying	CO3	
8.	Prove that the ML estimator of the parameter α of the population having pdf $f(x, \alpha) = 2/\alpha^2 (\alpha - x)$. $0 < x < \alpha$ for the sample of unit size is $2x$, x being the sample value. Show also that the estimator is not unbiased.											BTL -3	Applying	CO3	
9.	Fit a straight line trend of the form $y = a + bx$ to the data given below by the method of least squares and predict the value of y when $x = 70$											BTL -3	Applying	CO3	
	X	71	68	73	69	67	65	66	67						
	y	69	72	70	70	68	67	68	64						

10.	Fit the model $y = ax + b$ to the following data.						BTL -3	Applying	CO3						
	X	1	2	3	4	5				6					
	Y	2.98	4.26	5.21	6.10	6.80	7.50								
11.(a)	Fit a straight line $y = ax + c$ to the following data.										BTL -4	Analyzing	CO3		
	X	1	3	5	7	9	11	13	15	17					
	Y	10	15	20	27	31	35	30	35	40					
11.(b)	Find the regression line of Y on X for the data						BTL -4	Analyzing	CO3						
	X	1	4	2	3	5									
	Y	3	1	2	5	4									
12.	If $x_1, x_2, x_3, \dots, x_n$ is a random sample from $N(\mu, \theta^2)$ show that $[\frac{\pi}{2n(n-1)}]^{1/2} \sum_{i=1}^n x_i - \bar{x} $ is an unbiased estimator of θ .						BTL-4	Analyzing	CO3						
13.	The following are the measurements of the air velocity and evaporation coefficient of burning fuel droplets in an impulse engine						BTL -3	Applying	CO3						
	Air Velocity (cm/s) : 20 60 100 140 180 220 260 300 340 380														
	Evaporation Coeff : 0.18 0.37 0.35 0.78 0.56 0.75 1.18 1.36 1.17 1.65														
	Fit a straight line to these data by the method of least squares, and use it to estimate the evaporation coefficient of a droplet when the air velocity is 190 cm/s.														
14.	Fit an equation of the form $y = ab^x$ to the following data						BTL-3	Applying	CO3						
	x	2	3	4	5	6									
	y	144	172.8	207.4	248.8	298.5									
15.	Obtain the equation of regression lines $y = ax + b$ from the following data, using the method of least squares.												BTL-4	Analyzing	CO3
	X	6	3	6	9	3	9	6	3	9	6	3			
	y	52	42	58	630	412	560	43	443	59	57	34	67		
		6	1	1				4		0	0	6	2		
16.	Let X_1, X_2, \dots, X_n be a random sample of size n from a normal distribution with known variance. Obtain the maximum likelihood estimator of μ .						BTL -3	Applying	CO3						
17.	Let X_1, X_2, \dots, X_n be a random sample size n from the Poisson distribution $f(x/\lambda) = \frac{\lambda^x e^{-\lambda}}{x!}$ where $0 \leq \lambda < \infty$. Obtain the maximum likelihood estimator of λ						BTL-4	Analyzing	CO3						
18.	Fit a parabola of second degree to the following data.						BTL -3	Applying	CO3						
	X: 0 1 2 3 4 Y: 1 5 10 22 38														

UNIT -IV CORRELATION AND REGRESSION

Simple linear regression, Curve fitting, Covariance, Correlation tests for slope and correlation, Analysis of variance, Regression analysis

PART-A(2 Mark Questions)

1.	Define simple linear regression and state its equation.	BTL -2	Understanding	CO4
2.	What is the significance of the coefficient of determination (R^2) in linear regression?	BTL -1	Remembering	CO4

3.	Differentiate between dependent and independent variables in regression analysis.	BTL -1	Remembering	CO4														
4.	State the principle of least squares.	BTL -1	Remembering	CO4														
5.	What is meant by the term "line of best fit"?	BTL -1	Remembering	CO4														
6.	List the steps involved in fitting a parabola to a given set of data points.	BTL -2	Understanding	CO4														
7.	Explain the difference between interpolation and curve fitting.	BTL -2	Understanding	CO4														
8.	Define covariance and state its mathematical formula.	BTL -1	Remembering	CO4														
9.	What does the sign of covariance indicate about the relationship between two variables?	BTL -2	Understanding	CO4														
10.	How is covariance different from correlation?	BTL -1	Remembering	CO4														
11.	Define the term "correlation" and its significance in data analysis.	BTL -2	Understanding	CO4														
12.	What does a correlation coefficient of +1 or -1 indicate?	BTL -1	Remembering	CO4														
13.	State the null hypothesis in a test for the significance of a correlation coefficient.	BTL-1	Remembering	CO4														
14.	Write the formula to calculate the t-statistic for testing the slope of a regression line.	BTL -1	Remembering	CO4														
15.	What is the significance of testing the slope in regression analysis?	BTL -2	Understanding	CO4														
16.	What is the purpose of analysis of variance (ANOVA)?	BTL-1	Remembering	CO4														
17.	Define the terms "factor" and "levels" in ANOVA.	BTL-1	Remembering	CO4														
18.	State the null hypothesis for a one-way ANOVA.	BTL-1	Remembering	CO4														
19.	What is the F-statistic in ANOVA, and how is it calculated?	BTL -2	Understanding	CO4														
20.	Mention any two assumptions required for performing ANOVA.	BTL -2	Understanding	CO4														
21.	Define regression analysis	BTL -2	Understanding	CO4														
22.	What is the least square method in regression analysis?	BTL -2	Understanding	CO4														
23.	What does the coefficient of determination (R^2) indicate in a regression analysis?	BTL -2	Understanding	CO4														
24.	Explain the assumptions of linear regression.	BTL -1	Remembering	CO4														
25.	What is the significance of the slope and intercept in a simple linear regression model?	BTL -1	Remembering	CO4														
PART-B (16 Mark Questions)																		
1.	<p>A company collects data on the advertising expenditure (in thousand rupees) and the corresponding sales (in thousand units) over a period of 6 months:</p> <table border="1" style="margin-left: 20px;"> <tr> <td>Advertising (X):</td> <td>10</td> <td>20</td> <td>30</td> <td>40</td> <td>50</td> <td>60</td> </tr> <tr> <td>Sales (Y):</td> <td>15</td> <td>25</td> <td>35</td> <td>45</td> <td>50</td> <td>65</td> </tr> </table> <p>Perform a linear regression analysis to determine the relationship between advertising expenditure and sales. Evaluate the slope, intercept, and R^2 value, and interpret the results.</p>	Advertising (X):	10	20	30	40	50	60	Sales (Y):	15	25	35	45	50	65	BTL -3	Applying	CO4
Advertising (X):	10	20	30	40	50	60												
Sales (Y):	15	25	35	45	50	65												

2. (a)	<p>In an engineering study, data on material strength (Y, in MPa) is collected as a function of the percentage of alloy (X, in %). Given the following data:</p> <table border="1" data-bbox="156 387 906 528"> <tbody> <tr> <td>Alloy percentage (X):</td> <td>5</td> <td>10</td> <td>15</td> <td>20</td> <td>25</td> </tr> <tr> <td>Material strength (Y):</td> <td>50</td> <td>55</td> <td>65</td> <td>70</td> <td>80</td> </tr> </tbody> </table> <p>Fit a linear regression model, find the regression coefficients, and use the model to predict material strength when the alloy percentage is 18%. Evaluate the model's performance using residual analysis.</p>	Alloy percentage (X):	5	10	15	20	25	Material strength (Y):	50	55	65	70	80	BTL -3	Applying	CO4								
Alloy percentage (X):	5	10	15	20	25																			
Material strength (Y):	50	55	65	70	80																			
3. (a)	<p>By the method of least square, find the straight lines that best fits the following data</p> <table border="1" data-bbox="156 757 512 898"> <tbody> <tr> <td>X</td> <td>5</td> <td>10</td> <td>15</td> <td>20</td> <td>25</td> </tr> <tr> <td>Y</td> <td>16</td> <td>19</td> <td>23</td> <td>26</td> <td>30</td> </tr> </tbody> </table>	X	5	10	15	20	25	Y	16	19	23	26	30	BTL -3	Applying	CO4								
X	5	10	15	20	25																			
Y	16	19	23	26	30																			
3.(b)	<p>Find the second degree parabola of the form $y = ax^2 + bx + c$ to the following data</p> <table border="1" data-bbox="156 974 804 1115"> <tbody> <tr> <td>X</td> <td>-3</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>Y</td> <td>4.63</td> <td>2.11</td> <td>0.67</td> <td>0.09</td> <td>0.63</td> <td>2.15</td> <td>4.58</td> </tr> </tbody> </table>	X	-3	-2	-1	0	1	2	3	Y	4.63	2.11	0.67	0.09	0.63	2.15	4.58	BTL -3	Applying	CO4				
X	-3	-2	-1	0	1	2	3																	
Y	4.63	2.11	0.67	0.09	0.63	2.15	4.58																	
4. (a)	<p>Explain the method of fitting a power curve $y = ax^b$ using logarithmic transformation. Use the method of least squares and apply it to the following data:</p> <table border="1" data-bbox="156 1240 464 1384"> <tbody> <tr> <td>X</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> </tr> <tr> <td>Y</td> <td>2</td> <td>5</td> <td>9</td> <td>15</td> <td>25</td> </tr> </tbody> </table>	X	1	2	3	4	5	Y	2	5	9	15	25	BTL -3	Applying	CO4								
X	1	2	3	4	5																			
Y	2	5	9	15	25																			
4.(b)	<p>Fit a 2nd degree parabola for the following data:</p> <table border="1" data-bbox="156 1451 1078 1597"> <tbody> <tr> <td>X</td> <td>1929</td> <td>1930</td> <td>1931</td> <td>1932</td> <td>1933</td> <td>1934</td> <td>1935</td> <td>1936</td> <td>1937</td> </tr> <tr> <td>Y</td> <td>352</td> <td>356</td> <td>357</td> <td>358</td> <td>360</td> <td>361</td> <td>361</td> <td>360</td> <td>359</td> </tr> </tbody> </table>	X	1929	1930	1931	1932	1933	1934	1935	1936	1937	Y	352	356	357	358	360	361	361	360	359	BTL -3	Applying	CO4
X	1929	1930	1931	1932	1933	1934	1935	1936	1937															
Y	352	356	357	358	360	361	361	360	359															
5.	<p>Given the following data on two variables X and Y: $X = \{1, 2, 3, 4\}$ $Y = \{2, 4, 6, 8\}$</p> <p>Compute the covariance between X and Y and interpret the result.</p>	BTL -3	Applying	CO4																				
6.	<p>Given the joint probability distribution of two random variables X and Y, compute the covariance between them:</p> <table border="1" data-bbox="252 1928 528 2072"> <tbody> <tr> <td></td> <td>X</td> <td>Y</td> <td>P(X,Y)</td> </tr> <tr> <td>1</td> <td></td> <td>1</td> <td>0.1</td> </tr> </tbody> </table>		X	Y	P(X,Y)	1		1	0.1	BTL -3	Applying	CO4												
	X	Y	P(X,Y)																					
1		1	0.1																					

	<table border="1"> <tbody> <tr> <td>1</td> <td>2</td> <td>0.2</td> </tr> <tr> <td>2</td> <td>1</td> <td>0.3</td> </tr> <tr> <td>2</td> <td>2</td> <td>0.4</td> </tr> </tbody> </table> <p>Also, interpret the result of covariance and its implication on the relationship between X and Y.</p>	1	2	0.2	2	1	0.3	2	2	0.4						
1	2	0.2														
2	1	0.3														
2	2	0.4														
7.	<p>Explain the role of covariance in multivariate data analysis. Derive the covariance matrix for the following dataset:</p> <p>$X=\{2,4,6\};$ $Y=\{1,3,5\};$ $Z=\{7,9,11\}.$</p> <p>Discuss the significance of the covariance matrix in real-world applications.</p>	BTL -4	Analyzing	CO4												
8.	<p>In an engineering context, the stress and strain of a material are measured during a tensile test. The data is as follows:</p> <p>Stress (X) in MPa: {10,20,30,40,50} Strain (Y) in %: {1,2,3,4,5}</p> <p>Calculate the covariance, interpret the result, and discuss how this analysis helps in understanding material properties.</p>	BTL -3	Applying	CO4												
9. (a)	<p>Given the following data, test whether the correlation between X and Y is significant at a 5% level:</p> <p>$X=\{1,2,3,4,5\}$ $Y=\{2,4,6,8,10\}$</p> <p>Compute the correlation coefficient and verify its significance.</p>	BTL -4	Analyzing	CO4												
9.(b)	<p>Discuss the procedure for testing the slope of a regression line and its importance in practical applications.</p>	BTL -4	Analyzing	CO4												
10.	<p>The following data represents the relationship between pressure (X) and temperature (Y) in an engineering system:</p> <table border="1"> <tbody> <tr> <td>X</td> <td>10</td> <td>20</td> <td>30</td> <td>40</td> <td>50</td> </tr> <tr> <td>Y</td> <td>12</td> <td>24</td> <td>30</td> <td>40</td> <td>50</td> </tr> </tbody> </table> <p>(a). Compute the correlation coefficient. (b). Test its significance at a 5% level. (c). Discuss how this information can be used in engineering design.</p>	X	10	20	30	40	50	Y	12	24	30	40	50	BTL -4	Analyzing	CO4
X	10	20	30	40	50											
Y	12	24	30	40	50											
11.	<p>The slope of a regression line fitted to the relationship between load (X) and deflection (Y) is estimated to be 0.8. Test whether this slope is significantly different from zero at a 5% level of significance, using the following data:</p> <p>Sum of squares for X (SSX) = 50 Sum of squares for Y (SSY) = 80 Sum of products (SPXY) = 40 Number of observations (n) = 10</p> <p>Explain the implications for structural analysis.</p>	BTL -4	Analyzing	CO4												

12.	<p>Explain the methodology to test the significance of both slope and correlation in a regression model. Using the following data, test the slope and correlation significance and interpret the results: $X=\{2,4,6,8,10\}$; $Y=\{3,6,9,12,15\}$.</p> <p>Discuss its relevance to engineering quality control.</p>	BTL -4	Analyzing	CO4																																			
13.	<p>The following data shows the monthly salaries of employees selected at random from 4 companies A, B, C and D.</p> <table border="1" data-bbox="156 472 671 824"> <thead> <tr> <th colspan="7">Salaries in Rs.(Employees)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>560</td> <td>590</td> <td>530</td> <td>600</td> <td>510</td> <td>570</td> </tr> <tr> <td>B</td> <td>490</td> <td>510</td> <td>500</td> <td>480</td> <td>470</td> <td></td> </tr> <tr> <td>C</td> <td>610</td> <td>580</td> <td>590</td> <td>620</td> <td></td> <td></td> </tr> <tr> <td>D</td> <td>580</td> <td>590</td> <td>620</td> <td>640</td> <td>550</td> <td></td> </tr> </tbody> </table> <p>Test whether the salaries differ from company to company.</p>	Salaries in Rs.(Employees)							A	560	590	530	600	510	570	B	490	510	500	480	470		C	610	580	590	620			D	580	590	620	640	550		BTL -4	Analyzing	CO4
Salaries in Rs.(Employees)																																							
A	560	590	530	600	510	570																																	
B	490	510	500	480	470																																		
C	610	580	590	620																																			
D	580	590	620	640	550																																		
14.	<p>A researcher conducted an experiment to evaluate the yield of a specific crop under three different fertilizer treatments. The data obtained (in quintals per acre) is as follows:</p> <table border="1" data-bbox="156 1021 735 1301"> <thead> <tr> <th>Fertilizer Type</th> <th colspan="5">Yield (Quintals per Acre)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>15</td> <td>16</td> <td>14</td> <td>17</td> <td>16</td> </tr> <tr> <td>B</td> <td>18</td> <td>17</td> <td>19</td> <td>20</td> <td>18</td> </tr> <tr> <td>C</td> <td>13</td> <td>14</td> <td>15</td> <td>13</td> <td>14</td> </tr> </tbody> </table> <p>Perform a One-Way ANOVA at a 5% level of significance to test if there is a significant difference in the mean yield across the three fertilizer treatments.</p>	Fertilizer Type	Yield (Quintals per Acre)					A	15	16	14	17	16	B	18	17	19	20	18	C	13	14	15	13	14	BTL -3	Applying	CO4											
Fertilizer Type	Yield (Quintals per Acre)																																						
A	15	16	14	17	16																																		
B	18	17	19	20	18																																		
C	13	14	15	13	14																																		
15.	<p>To compare three varieties of wheat and 4 Blocks of three plots of land each were used. The following table shows the yield of the 12 plots in Kg. Analyze the data.</p> <table border="1" data-bbox="156 1621 568 1968"> <thead> <tr> <th rowspan="2">Varieties</th> <th colspan="4">Blocks</th> </tr> <tr> <th>B1</th> <th>B2</th> <th>B3</th> <th>B4</th> </tr> </thead> <tbody> <tr> <td>V1</td> <td>3</td> <td>4</td> <td>6</td> <td>4</td> </tr> <tr> <td>V2</td> <td>4</td> <td>6</td> <td>5</td> <td>3</td> </tr> <tr> <td>V3</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> </tr> </tbody> </table>	Varieties	Blocks				B1	B2	B3	B4	V1	3	4	6	4	V2	4	6	5	3	V3	2	3	4	5	BTL -4	Analyzing	CO4											
Varieties	Blocks																																						
	B1	B2	B3	B4																																			
V1	3	4	6	4																																			
V2	4	6	5	3																																			
V3	2	3	4	5																																			
16.(a)	<p>Given the following data, perform a simple linear regression analysis to find the equation of the best-fit line:</p>	BTL -3	Applying	CO4																																			

		<table border="1"> <tr><td>X</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td></tr> <tr><td>Y</td><td>1.</td><td>4</td><td>8</td><td>2.</td><td>10</td></tr> </table> <p>(a). Find the regression equation $Y=a+bX$, where a is the intercept and b is the slope. (b). Interpret the coefficients.</p>	X	1	2	3	4	5	Y	1.	4	8	2.	10								
X	1	2	3	4	5																	
Y	1.	4	8	2.	10																	
16.(b)	<p>Given the following data on the number of hours studied (X) and marks obtained (Y), perform regression analysis to estimate the marks for a student who studies for 8 hours:</p> <table border="1"> <tr><td>X</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td></tr> <tr><td>Y</td><td>35</td><td>45</td><td>50</td><td>60</td><td>70</td></tr> </table> <p>(1). Find the equation of the regression line $Y=a+bX$ (2). Estimate the marks for a student who studies for 8 hours.</p>	X	1	2	3	4	5	Y	35	45	50	60	70	BTL -3	Applying	CO4						
X	1	2	3	4	5																	
Y	35	45	50	60	70																	
17.	<p>Given the following data, perform multiple regression analysis to find the equation of the regression plane that predicts Y using X1 and X2:</p> <table border="1"> <tr><td>X₁</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td></tr> <tr><td>X₂</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>Y</td><td>3</td><td>5</td><td>7</td><td>9</td><td>11</td></tr> </table> <p>(i) Calculate the regression coefficients for $Y=a+b_1X_1+b_2X_2$. (ii). Interpret the results and draw conclusions.</p>	X ₁	1	2	3	4	5	X ₂	2	3	4	5	6	Y	3	5	7	9	11	BTL -3	Applying	CO4
X ₁	1	2	3	4	5																	
X ₂	2	3	4	5	6																	
Y	3	5	7	9	11																	
18.	<p>A researcher wants to predict the crop yield based on the amount of rainfall and fertilizer used. The following data is given:</p> <table border="1"> <tr><td>Rainfall(X₁)</td><td>10</td><td>12</td><td>14</td><td>16</td><td>18</td></tr> <tr><td>Fertilizer (X₂)</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td></tr> <tr><td>Yield (Y)</td><td>50</td><td>55</td><td>60</td><td>65</td><td>70</td></tr> </table> <p>(i). Perform a multiple linear regression analysis to find the equation that predicts crop yield Y based on rainfall X₁ and fertilizer X₂. (ii). Calculate the regression coefficients and interpret the results.</p>	Rainfall(X ₁)	10	12	14	16	18	Fertilizer (X ₂)	5	6	7	8	9	Yield (Y)	50	55	60	65	70	BTL -3	Applying	CO4
Rainfall(X ₁)	10	12	14	16	18																	
Fertilizer (X ₂)	5	6	7	8	9																	
Yield (Y)	50	55	60	65	70																	

UNIT -V: STATISTICAL QUALITY CONTROL

Control charts for measurements (X and R charts) – Control charts for attributes (p,c and np charts) – Tolerance limits – Acceptance sampling

PART-A (2 Mark Questions)

1.	What is Statistical quality control?	BTL -1	Remembering	CO5
2.	Write down advantage of SQC.	BTL -2	Understanding	CO5
3.	What is meant by chance variation?	BTL -1	Remembering	CO5
4.	What is meant by Assignable variation?	BTL -2	Understanding	CO5
5.	Name the types of Control Chart.	BTL -2	Understanding	CO5
6	Define product control	BTL -1	Remembering	CO5
7.	Define process control	BTL -1	Remembering	CO5

8	What is control Chart?	BTL -2	Understanding	CO5
9.	Write down uses of Mean Chart.	BTL -2	Understanding	CO5
10	Write down types of Acceptance sampling plan	BTL -2	Understanding	CO5
11.	Define OC Curve	BTL -1	Remembering	CO5
12.	Write down types of Causes variation.	BTL -2	Understanding	CO5
13.	Write the formula for np chart.	BTL -2	Understanding	CO5
14.	What is meant by AQL and LTPD	BTL -1	Remembering	CO5
15.	What is the formula for c chart and p chart	BTL -2	Understanding	CO5
16.	Define Acceptance Sampling.	BTL -1	Remembering	CO5
17.	Explain producers Risk and Consumer Risk.	BTL -2	Understanding	CO5
18.	Define Tolerance limits.	BTL -1	Remembering	CO5
19.	Define one-sided Tolerance limits.	BTL -1	Remembering	CO5
20.	Define Two-Sided Tolerance limits.	BTL -1	Remembering	CO5
21.	What is an \bar{X} chart used for in Statistical Quality Control?	BTL -1	Remembering	CO5
22.	How do you interpret an \bar{X} chart?	BTL -1	Remembering	CO5
23.	What is the purpose of an R chart in Statistical Quality Control?	BTL -2	Understanding	CO5
24.	How are control limits for an R chart determined?	BTL -2	Understanding	CO5
25.	What are the main differences between an \bar{X} chart and an R chart?	BTL -2	Understanding	CO5

PART-B (16 Mark Questions)

1.	<p>You are given the value of sample means (\bar{X}) and Range for 10 samples of size 5 each. Draw mean chart and comment on the state of control of the process.</p> <table border="1" style="margin-left: 20px;"> <tr> <td>Sample No</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> </tr> <tr> <td>(\bar{X})</td> <td>43</td> <td>49</td> <td>37</td> <td>44</td> <td>45</td> <td>37</td> <td>51</td> <td>46</td> <td>43</td> <td>47</td> </tr> <tr> <td>R</td> <td>5</td> <td>6</td> <td>5</td> <td>7</td> <td>7</td> <td>4</td> <td>8</td> <td>6</td> <td>4</td> <td>6</td> </tr> </table>	Sample No	1	2	3	4	5	6	7	8	9	10	(\bar{X})	43	49	37	44	45	37	51	46	43	47	R	5	6	5	7	7	4	8	6	4	6	BTL -3	Applying	CO5
Sample No	1	2	3	4	5	6	7	8	9	10																											
(\bar{X})	43	49	37	44	45	37	51	46	43	47																											
R	5	6	5	7	7	4	8	6	4	6																											
2.(a)	What do you understand by SQC. Discuss its utility and limitations?	BTL -4	Analyzing	CO5																																	
2.(b)	<p>The following data give the weight of an automobile part. Five samples of four items each were taken on a random sample basis (at an interval of 1 hour each). Draw the mean Control Chart and find out if the production process is in control.</p> <table border="1" style="margin-left: 20px;"> <tr> <td>Sample</td> <td colspan="4">Weight of the parts in ounces</td> </tr> <tr> <td>1</td> <td>10</td> <td>12</td> <td>10</td> <td>12</td> </tr> <tr> <td>2</td> <td>10</td> <td>12</td> <td>13</td> <td>13</td> </tr> <tr> <td>3</td> <td>10</td> <td>10</td> <td>9</td> <td>11</td> </tr> <tr> <td>4</td> <td>11</td> <td>10</td> <td>9</td> <td>14</td> </tr> <tr> <td>5</td> <td>12</td> <td>12</td> <td>12</td> <td>12</td> </tr> </table>	Sample	Weight of the parts in ounces				1	10	12	10	12	2	10	12	13	13	3	10	10	9	11	4	11	10	9	14	5	12	12	12	12	BTL -4	Analyzing	CO5			
Sample	Weight of the parts in ounces																																				
1	10	12	10	12																																	
2	10	12	13	13																																	
3	10	10	9	11																																	
4	11	10	9	14																																	
5	12	12	12	12																																	

3.	For a sampling plan $N = 1,200$, $n = 64$ and $c = 1$, determine the probability of acceptance of the following lots; (i) 0.5%defective (ii) 0.8%defective (iii) 1%defective (iv) 2%defective (v) 4% defective (vi) 10%defective Also draw and OC curve	BTL -3	Applying	CO5																																		
4.(a)	<p>A machine is set to deliver packets of a given weight, 10 samples of size 5 each were recorded. Below are given the relevant data:</p> <table border="1"> <tr> <td>Sample No</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> </tr> <tr> <td>(\bar{X})</td> <td>15</td> <td>17</td> <td>15</td> <td>18</td> <td>17</td> <td>14</td> <td>18</td> <td>15</td> <td>17</td> <td>16</td> </tr> <tr> <td>R</td> <td>7</td> <td>7</td> <td>4</td> <td>9</td> <td>8</td> <td>7</td> <td>12</td> <td>4</td> <td>11</td> <td>5</td> </tr> </table> <p>Calculate the values of the Central Line and the control limits for the mean chart and the range chart and then comment on the state of control.(Conversion factors for $n = 5$ are $A_2 = 0.58$ $D_3 = 0$, $D_4 = 2.115$)</p>	Sample No	1	2	3	4	5	6	7	8	9	10	(\bar{X})	15	17	15	18	17	14	18	15	17	16	R	7	7	4	9	8	7	12	4	11	5	BTL -3	Applying	CO5	
Sample No	1	2	3	4	5	6	7	8	9	10																												
(\bar{X})	15	17	15	18	17	14	18	15	17	16																												
R	7	7	4	9	8	7	12	4	11	5																												
4.(b)	Explain in detail the R-Chart clearly?	BTL -3	Applying	CO5																																		
5.	10 samples each of size 50 were inspected and the number of defectives in the inspection were: 2,1,1,2,3,5,5,1,2,3.Draw the appropriate control chart for defectives.	BTL -4	Analyzing	CO5																																		
6.	<p>The following data show the values of sample mean \bar{X} and the range.R for the samples of size 5 each. Calculate the values for central line and control limits for mean-chart and range chart and determine whether the process is in control.</p> <table border="1"> <tr> <td>Sample No</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> </tr> <tr> <td>(\bar{X})</td> <td>11.2</td> <td>11.8</td> <td>10.8</td> <td>11.6</td> <td>11</td> <td>9.6</td> <td>10.4</td> <td>9.6</td> <td>10.6</td> <td>10</td> </tr> <tr> <td>R</td> <td>7</td> <td>4</td> <td>8</td> <td>5</td> <td>7</td> <td>4</td> <td>8</td> <td>4</td> <td>7</td> <td>9</td> </tr> </table> <p>(Conversion factors for $n = 5$ are $A_2 = 0.577$ $D_3 = 0$, $D_4 = 2.115$)</p>	Sample No	1	2	3	4	5	6	7	8	9	10	(\bar{X})	11.2	11.8	10.8	11.6	11	9.6	10.4	9.6	10.6	10	R	7	4	8	5	7	4	8	4	7	9	BTL -3	Applying	CO5	
Sample No	1	2	3	4	5	6	7	8	9	10																												
(\bar{X})	11.2	11.8	10.8	11.6	11	9.6	10.4	9.6	10.6	10																												
R	7	4	8	5	7	4	8	4	7	9																												
7.	<p>15 tape-recorders were examined for quality control test. The number of defects in each tape-recorder is recorded below. Draw the appropriate control chart and comment on the state of control.</p> <table border="1"> <tr> <td>Unit No (i)</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> <td>13</td> <td>14</td> <td>15</td> </tr> <tr> <td>No of defects (c)</td> <td>2</td> <td>4</td> <td>3</td> <td>1</td> <td>1</td> <td>2</td> <td>5</td> <td>3</td> <td>6</td> <td>7</td> <td>3</td> <td>1</td> <td>4</td> <td>2</td> <td>1</td> </tr> </table>	Unit No (i)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	No of defects (c)	2	4	3	1	1	2	5	3	6	7	3	1	4	2	1	BTL -4	Analyzing	CO5		
Unit No (i)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15																							
No of defects (c)	2	4	3	1	1	2	5	3	6	7	3	1	4	2	1																							
8.	<p>Construct \bar{X} chart for following data</p> <table border="1"> <tr> <td>Sample No</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> </tr> <tr> <td rowspan="3">Observation</td> <td>32</td> <td>28</td> <td>39</td> <td>50</td> <td>42</td> <td>50</td> <td>44</td> <td>22</td> </tr> <tr> <td>36</td> <td>32</td> <td>52</td> <td>42</td> <td>45</td> <td>29</td> <td>52</td> <td>35</td> </tr> <tr> <td>42</td> <td>40</td> <td>28</td> <td>31</td> <td>34</td> <td>21</td> <td>35</td> <td>44</td> </tr> </table> <p>Also determine whether the process is in control.</p>	Sample No	1	2	3	4	5	6	7	8	Observation	32	28	39	50	42	50	44	22	36	32	52	42	45	29	52	35	42	40	28	31	34	21	35	44	BTL -4	Analyzing	CO5
Sample No	1	2	3	4	5	6	7	8																														
Observation	32	28	39	50	42	50	44	22																														
	36	32	52	42	45	29	52	35																														
	42	40	28	31	34	21	35	44																														

9.	<p>From the information given below construct an appropriate control chart</p> <table border="1" data-bbox="156 250 1058 398"> <tr> <td>Sample No.(each of 100)</td> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td> </tr> <tr> <td>No. of defectives</td> <td>12</td><td>7</td><td>9</td><td>8</td><td>10</td><td>6</td><td>7</td><td>11</td><td>8</td> </tr> </table> <p>State your conclusions. Write all the steps in the construction of the above chart including formula for UCL and LCL.</p>	Sample No.(each of 100)	1	2	3	4	5	6	7	8	9	No. of defectives	12	7	9	8	10	6	7	11	8	BTL -3	Applying	CO5																														
Sample No.(each of 100)	1	2	3	4	5	6	7	8	9																																													
No. of defectives	12	7	9	8	10	6	7	11	8																																													
10.	<p>Construct a Control Chart for fraction defectives (p-Chart) for following data.</p> <table border="1" data-bbox="156 571 1031 707"> <tr> <td>Sample No.</td> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td> </tr> <tr> <td>Sample Size</td> <td>90</td><td>65</td><td>85</td><td>70</td><td>80</td><td>80</td><td>70</td><td>95</td><td>90</td><td>75</td> </tr> <tr> <td>No of defectives</td> <td>9</td><td>7</td><td>3</td><td>2</td><td>9</td><td>5</td><td>3</td><td>9</td><td>6</td><td>7</td> </tr> </table>	Sample No.	1	2	3	4	5	6	7	8	9	10	Sample Size	90	65	85	70	80	80	70	95	90	75	No of defectives	9	7	3	2	9	5	3	9	6	7	BTL -4	Analyzing	CO5																	
Sample No.	1	2	3	4	5	6	7	8	9	10																																												
Sample Size	90	65	85	70	80	80	70	95	90	75																																												
No of defectives	9	7	3	2	9	5	3	9	6	7																																												
11.	<p>Explain Control Limits for the sample mean \bar{X} and sample range R.</p>	BTL -4	Analyzing	CO5																																																		
12.	<p>An inspection of 10 samples of size 400 each from 10 lots reveled the following number of defective units 17,15,14,26,9,4,19,12,9,6</p>	BTL -3	Applying	CO5																																																		
13.	<p>Construct R chart for following data</p> <table border="1" data-bbox="156 1010 1002 1496"> <thead> <tr> <th>Sample No.</th> <th colspan="4">Observation</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.7</td><td>2.2</td><td>1.9</td><td>1.2</td> </tr> <tr> <td>2</td> <td>0.8</td><td>1.5</td><td>2.1</td><td>0.9</td> </tr> <tr> <td>3</td> <td>1</td><td>1.4</td><td>1</td><td>1.3</td> </tr> <tr> <td>4</td> <td>0.4</td><td>0.6</td><td>0.7</td><td>0.2</td> </tr> <tr> <td>5</td> <td>1.4</td><td>2.3</td><td>2.8</td><td>2.7</td> </tr> <tr> <td>6</td> <td>1.8</td><td>2</td><td>1.1</td><td>0.1</td> </tr> <tr> <td>7</td> <td>1.6</td><td>1.</td><td>1.5</td><td>2</td> </tr> <tr> <td>8</td> <td>2.5</td><td>1.6</td><td>1.8</td><td>1.2</td> </tr> <tr> <td>9</td> <td>2.9</td><td>2</td><td>0.5</td><td>2.2</td> </tr> </tbody> </table> <p>Comment on State of Control.</p>	Sample No.	Observation				1	1.7	2.2	1.9	1.2	2	0.8	1.5	2.1	0.9	3	1	1.4	1	1.3	4	0.4	0.6	0.7	0.2	5	1.4	2.3	2.8	2.7	6	1.8	2	1.1	0.1	7	1.6	1.	1.5	2	8	2.5	1.6	1.8	1.2	9	2.9	2	0.5	2.2	BTL -4	Analyzing	CO5
Sample No.	Observation																																																					
1	1.7	2.2	1.9	1.2																																																		
2	0.8	1.5	2.1	0.9																																																		
3	1	1.4	1	1.3																																																		
4	0.4	0.6	0.7	0.2																																																		
5	1.4	2.3	2.8	2.7																																																		
6	1.8	2	1.1	0.1																																																		
7	1.6	1.	1.5	2																																																		
8	2.5	1.6	1.8	1.2																																																		
9	2.9	2	0.5	2.2																																																		
14	<p>The following data gives the number of defectives in 10 samples each of size 100. Constuct a np chart for these data and also determine whether the process is in control</p> <table border="1" data-bbox="156 1668 1066 1843"> <tr> <td>Sample No.</td> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td> </tr> <tr> <td>No. of defectives</td> <td>24</td><td>38</td><td>62</td><td>34</td><td>26</td><td>36</td><td>38</td><td>52</td><td>33</td><td>44</td> </tr> </table>	Sample No.	1	2	3	4	5	6	7	8	9	10	No. of defectives	24	38	62	34	26	36	38	52	33	44	BTL -3	Applying	CO5																												
Sample No.	1	2	3	4	5	6	7	8	9	10																																												
No. of defectives	24	38	62	34	26	36	38	52	33	44																																												
15)	<p>The following data relate to the number of defects in each of 15 units drawn randomly from a production process. Draw the control chart or the number of defects and comment on the state of control. The Units are 6, 4, 9, 10, 11, 12, 20, 10, 9, 10, 15, 10, 20, 15, 10.</p>	BTL -3	Applying	CO5																																																		

16.	<p>A machine fills boxes with dry cereal. 15 samples of 4 boxes are drawn randomly. The weights of the sampled boxes are shown as follows. Draw the control charts for the sample mean and sample range and determine whether the process is in a state of control.</p>	BTL -4	Analyzing	CO5																																																																													
<table border="1" data-bbox="151 383 1098 705"> <tr> <td>Sample No.</td> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td> </tr> <tr> <td rowspan="4">Weight of Boxes (X)</td> <td>10</td><td>10.3</td><td>11.5</td><td>11</td><td>11.3</td><td>10.7</td><td>11.3</td><td>12.3</td><td>11</td><td>11.3</td><td>12.5</td><td>11.9</td><td>12.1</td><td>11.9</td><td>10.6</td> </tr> <tr> <td>10.2</td><td>10.9</td><td>10.7</td><td>11.1</td><td>11.6</td><td>11.4</td><td>11.4</td><td>12.1</td><td>13.1</td><td>12.1</td><td>11.9</td><td>12.1</td><td>11.1</td><td>12.1</td><td>11.9</td> </tr> <tr> <td>11.3</td><td>10.7</td><td>11.4</td><td>10.7</td><td>11.9</td><td>10.7</td><td>11.1</td><td>12.7</td><td>13.1</td><td>10.7</td><td>11.8</td><td>11.6</td><td>12.1</td><td>13.1</td><td>11.7</td> </tr> <tr> <td>12.4</td><td>11.7</td><td>12.4</td><td>11.4</td><td>12.1</td><td>11</td><td>10.3</td><td>10.7</td><td>12.4</td><td>11.5</td><td>11.3</td><td>11.4</td><td>11.7</td><td>12</td><td>12.1</td> </tr> </table>	Sample No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Weight of Boxes (X)	10	10.3	11.5	11	11.3	10.7	11.3	12.3	11	11.3	12.5	11.9	12.1	11.9	10.6	10.2	10.9	10.7	11.1	11.6	11.4	11.4	12.1	13.1	12.1	11.9	12.1	11.1	12.1	11.9	11.3	10.7	11.4	10.7	11.9	10.7	11.1	12.7	13.1	10.7	11.8	11.6	12.1	13.1	11.7	12.4	11.7	12.4	11.4	12.1	11	10.3	10.7	12.4	11.5	11.3	11.4	11.7	12	12.1				
Sample No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15																																																																		
Weight of Boxes (X)	10	10.3	11.5	11	11.3	10.7	11.3	12.3	11	11.3	12.5	11.9	12.1	11.9	10.6																																																																		
	10.2	10.9	10.7	11.1	11.6	11.4	11.4	12.1	13.1	12.1	11.9	12.1	11.1	12.1	11.9																																																																		
	11.3	10.7	11.4	10.7	11.9	10.7	11.1	12.7	13.1	10.7	11.8	11.6	12.1	13.1	11.7																																																																		
	12.4	11.7	12.4	11.4	12.1	11	10.3	10.7	12.4	11.5	11.3	11.4	11.7	12	12.1																																																																		
17.	<p>The following are the \bar{X} and R values for 20 samples of readings. Draw \bar{X} chart and R chart and write your conclusion.</p>	BTL -3	Applying	CO5																																																																													
	<table border="1" data-bbox="151 846 1098 1142"> <tr> <td>Samples</td> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td> </tr> <tr> <td>\bar{X}</td> <td>34</td><td>31.6</td><td>30.8</td><td>33</td><td>35</td><td>33.2</td><td>33</td><td>32.6</td><td>33.8</td><td>37.8</td> </tr> <tr> <td>R</td> <td>4</td><td>4</td><td>2</td><td>3</td><td>5</td><td>2</td><td>5</td><td>13</td><td>19</td><td>6</td> </tr> <tr> <td>Samples</td> <td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td> </tr> <tr> <td>\bar{X}</td> <td>35.8</td><td>38.4</td><td>34</td><td>35</td><td>38.8</td><td>31.6</td><td>33</td><td>28.2</td><td>31.8</td><td>35.6</td> </tr> <tr> <td>R</td> <td>4</td><td>4</td><td>14</td><td>4</td><td>7</td><td>5</td><td>5</td><td>3</td><td>9</td><td>6</td> </tr> </table> <p>(Given for $n = 5$ are $A_2 = 0.58$ $D_3 = 0$, $D_4 = 2.12$)</p>	Samples	1	2	3	4	5	6	7	8	9	10	\bar{X}	34	31.6	30.8	33	35	33.2	33	32.6	33.8	37.8	R	4	4	2	3	5	2	5	13	19	6	Samples	11	12	13	14	15	16	17	18	19	20	\bar{X}	35.8	38.4	34	35	38.8	31.6	33	28.2	31.8	35.6	R	4	4	14	4	7	5	5	3	9	6														
Samples	1	2	3	4	5	6	7	8	9	10																																																																							
\bar{X}	34	31.6	30.8	33	35	33.2	33	32.6	33.8	37.8																																																																							
R	4	4	2	3	5	2	5	13	19	6																																																																							
Samples	11	12	13	14	15	16	17	18	19	20																																																																							
\bar{X}	35.8	38.4	34	35	38.8	31.6	33	28.2	31.8	35.6																																																																							
R	4	4	14	4	7	5	5	3	9	6																																																																							
18.	<p>The following table gives the inspection data relating to 10 samples of 100 items each, concerning the production of bottle corks.</p>	BTL -3	Applying	CO5																																																																													
	<table border="1" data-bbox="151 1272 1098 1720"> <thead> <tr> <th>Sample Number</th> <th>Size of Sample</th> <th>Number of Defectives</th> <th>Fraction Defective</th> </tr> </thead> <tbody> <tr><td>1</td><td>100</td><td>5</td><td>.05</td></tr> <tr><td>2</td><td>100</td><td>3</td><td>.03</td></tr> <tr><td>3</td><td>100</td><td>3</td><td>.03</td></tr> <tr><td>4</td><td>100</td><td>6</td><td>.06</td></tr> <tr><td>5</td><td>100</td><td>5</td><td>.05</td></tr> <tr><td>6</td><td>100</td><td>6</td><td>.06</td></tr> <tr><td>7</td><td>100</td><td>8</td><td>.08</td></tr> <tr><td>8</td><td>100</td><td>10</td><td>.10</td></tr> <tr><td>9</td><td>100</td><td>10</td><td>.10</td></tr> <tr><td>10</td><td>100</td><td>4</td><td>.04</td></tr> </tbody> </table> <p>Construct a p- chart.</p>	Sample Number	Size of Sample	Number of Defectives	Fraction Defective	1	100	5	.05	2	100	3	.03	3	100	3	.03	4	100	6	.06	5	100	5	.05	6	100	6	.06	7	100	8	.08	8	100	10	.10	9	100	10	.10	10	100	4	.04																																				
Sample Number	Size of Sample	Number of Defectives	Fraction Defective																																																																														
1	100	5	.05																																																																														
2	100	3	.03																																																																														
3	100	3	.03																																																																														
4	100	6	.06																																																																														
5	100	5	.05																																																																														
6	100	6	.06																																																																														
7	100	8	.08																																																																														
8	100	10	.10																																																																														
9	100	10	.10																																																																														
10	100	4	.04																																																																														
