

SRM VALLIAMMAI ENGINEERING COLLEGE
(An Autonomous Institution)

S.R.M. Nagar, Kattankulathur - 603203

DEPARTMENT OF MATHEMATICS

QUESTION BANK



IV SEMESTER

B. E / B.Tech -CSE, IT & Cyber

MA3424- APPLIED MATHEMATICS FOR INFORMATION SCIENCE

Regulation – 2023

Academic Year – 2025 – 2026

Prepared by

Mr.N.Sundarakannan, Assistant Professor / Mathematics

Ms.A.Karpagam, Assistant Professor / Mathematics



SRM VALLIAMMAI ENGINEERING COLLEGE

(An Autonomous Institution)

SRM Nagar, Kattankulathur – 603203.



DEPARTMENT OF MATHEMATICS

SUBJECT: MA3424- APPLIED MATHEMATICS FOR INFORMATION SCIENCE

SEM / YEAR: IV / II Year B.E. / B.Tech CSE, IT & Cyber

UNIT I - GROUPS AND RINGS				
Algebra: groups, rings, fields, finite fields – Definitions- Examples-Properties				
Q.No.	Question	BT Level	Competence	CO s
PART – A				
1.	Define semigroup with examples.	BTL -1	Remembering	CO 1
2.	Show that the cancellation laws are true in a group $(G,*)$	BTL -1	Remembering	CO 1
3.	State any two properties of a group.	BTL -1	Remembering	CO 1
4.	Prove that identity element in a group is unique.	BTL -2	Understanding	CO 1
5.	Prove that the inverse of each element of the group $(G,*)$ is unique.	BTL -1	Applying	CO 1
6.	In a group $(G,*)$, prove that $(a * b)^{-1} = b^{-1} * a^{-1}$ for all $a, b \in G$	BTL -2	Applying	CO 1
7.	If $(G,*)$ is a group infer that the only idempotent element of a is the identity element.	BTL -2	Understanding	CO 1
8.	Let Z be a group of integers with binary operation $*$ defined by $a * b = a + b - 2$ for all $a, b \in Z$. Find the identity element of the group $\langle Z, * \rangle$.	BTL -2	Understanding	CO 1
9.	Let R be the set of non-zero real numbers and $*$ is the binary operation defined as $a * b = \frac{ab}{2}$, for $a, b \in R$. Find the inverse of any element.	BTL -2	Applying	CO 1
10.	Define group.			CO 1
11.	Define Monoid.	BTL -2	Understanding	CO 1
12.	Prove that if G is abelian group, then for all $a, b \in G$, $(a * b)^2 = a^2 * b^2$	BTL -1	Analyzing	CO 1
13.	If $(G,*)$ is a group for any $a \in G$ prove that $(a^{-1})^{-1} = a$.	BTL -1	Applying	CO 1

14.	Prove that the order of an element a of a group G is the same as that of its inverse (a^{-1}).	BTL -1	Analyzing	CO 1
15.	Let R be the set of non-zero real numbers and $*$ is the binary operation defined as $a * b = \frac{ab}{2}$, for $a, b \in R$. Find the identity element.	BTL -2	Understanding	CO 1
16.	Let Z be a group of integers with binary operation $*$ defined by $a * b = a + b - 1$ for all $a, b \in Z$. Find the identity of the element of the group $\langle Z, * \rangle$.	BTL -1	Analyzing	CO 1
17.	Let Z be a group of integers with binary operation $*$ defined by $a * b = a + b - 2$ for all $a, b \in Z$. Find the inverse of the element of the group $\langle Z, * \rangle$.	BTL -1	Remembering	CO 1
18.	Let R be the set of non-zero real numbers and $*$ is the binary operation defined as $a * b = \frac{ab}{3}$, for $a, b \in R$. Find the identity element.	BTL -2	Analyzing	CO 1
19.	If G is a group of order n and $a \in G$, prove that $a^n = e$	BTL -2	Understanding	CO 1
20.	Give an example of a ring which is not a field.	BTL -1	Analyzing	CO 1
21.	Discuss a ring and give an example	BTL -1	Applying	CO 1
22.	Define commutative ring and Ring with unity	BTL -2	Understanding	CO 1
23.	Discuss a sub ring with example	BTL -1	Analyzing	CO 1
24.	Define integral domain and give an example.	BTL -1	Remembering	CO 1
25.	Define a field with example	BTL -1	Remembering	CO 1
PART - B				
1.	Prove that $G = \left\{ \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}, \begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix}, \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}, \begin{pmatrix} -1 & 0 \\ 0 & -1 \end{pmatrix} \right\}$ forms an abelian group under matrix multiplication.	BTL -3	Applying	CO 1
2.(a)	Prove that in a group G the equations $a * x = b$ and $y * a = b$ have unique solutions for the unknowns x and y as $x = a^{-1} * b, y = b * a^{-1}$ when $a, b \in G$.	BTL -4	Understanding	CO 1
2.(b)	Show that the set of all matrices $\begin{bmatrix} a & b \\ -b & a \end{bmatrix}$ forms an abelian group with respect to matrix multiplication.	BTL -4	Evaluating	CO 1
3.	Apply the definition of a group to Prove that $(G, *)$ is a non-abelian group where $G = R \times R$ and the binary operation $*$ is defined as $(a, b) * (c, d) = (ac, bc + d)$	BTL -3	Applying	CO 1
4.(a)	If $(G, *)$ is an abelian group and if $\forall a, b \in G$. Show that $(a * b)^n = a^n * b^n$, for every integer n .	BTL -3	Applying	CO 1

4.(b)	Show that $(Q^+, *)$ is an abelian group where $*$ is defined as $a * b = ab/2, \forall a, b \in Q^+$	BTL -3	Applying	CO 1
5.	Determine whether (Q, \oplus, \odot) is a ring with the binary operations $x \oplus y = x + y + 7, x \odot y = x + y + \frac{xy}{7}$ for all $x, y \in Q$	BTL -3	Applying	CO 1
6.	Prove that the set $\{1, -1, i, -i\}$ is a finite abelian group with respect to the multiplication of complex numbers.	BTL -3	Applying	CO 1
7.	If $(G, *)$ is a finite cyclic group generated by an element $a \in G$ and is of order n then $a^n = e$ so that $G = \{a, a^2, \dots, a^n (= e)\}$. Also, n is the least positive integer for which $a^n = e$.	BTL -4	Remembering	CO 1
8.(a)	Show that (Z_7, \cdot_7) is an abelian group.	BTL -4	Analyzing	CO 1
8.(b)	Prove that $G = \left\{ \begin{bmatrix} a & b \\ 0 & d \end{bmatrix}, ad \neq 0, a, b, d \in R \right\}$ is a group under matrix multiplication.	BTL -3	Applying	CO 1
9.	Prove that $(S_3, *)$, where $S = (1, 2, 3)$ is a group under the operation of right composition. Is it abelian?	BTL -4	Evaluating	CO 1
10.(a)	Let G be a group and $a \in G$. Let $f: G \rightarrow G$ be given by $f(x) = axa^{-1}, \forall x \in G$. Prove that f is an isomorphism of G onto G	BTL -4	Creating	CO 1
10.(b)	Prove that $G = \left\{ \begin{bmatrix} a & a \\ a & a \end{bmatrix}, a \neq 0, a \in R \right\}$ is a group under matrix multiplication.	BTL -3	Applying	CO 1
11.	Analyze that Z_n is a field if and only if n is prime	BTL -4	Analyzing	CO 1
12.	Show that M_2 , the set of all 2×2 nonsingular matrices over R is a group under usual matrix multiplication. Is it abelian?	BTL -3	Applying	CO 1
13.	Prove that in a Ring $(R, +, \cdot)$ The zero element is unique The additive inverse of each ring element is unique If R has a unity then it is unique If R has a unity, x is a unit of R then the multiplicative inverse of x is unique	BTL -4	Analyzing	CO 1
14.	Show that $(Z_6, +_6, \cdot_6)$ is a ring.	BTL -3	Applying	CO 1
15.	Prove that every field is an integral domain and every finite integral domain is a field. Give an example for an integral domain which is not a field	BTL -4	Analyzing	CO 1
16.	Show that $(Z_5, +_5, \cdot_5)$ is a field	BTL -3	Applying	CO 1
17.	Analyze whether (Z, \oplus, \odot) is a ring with the binary operation $x \oplus y = x + y - 1, x \odot y = x + y - xy$ for all $x, y \in Z$	BTL -4	Analyzing	CO 1
18.	Prove that the set $Z_4 = \{0, 1, 2, 3\}$ is a commutative ring with respect to the binary operation $+_4$ and \times_4	BTL -3	Applying	CO 1

UNIT II - FINITE FIELDS AND POLYNOMIALS				
Rings – Polynomial rings – Irreducible polynomials over finite fields – Factorization of polynomials over finite fields.				
Q.No.	Question	BT Level	Competence	COs
PART – A				
1.	Define root of polynomial.	BTL -1	Remembering	CO 2
2.	Define polynomial.	BTL -1	Remembering	CO 2
3.	Find the roots for the function $f(x) = x^2 + 3x + 2 \in \mathbb{Z}_6[x]$.	BTL -1	Remembering	CO 2
4.	What are the roots of $f(x) = x^2 - 6x + 9 \in \mathbb{R}[x]$.	BTL -2	Understanding	CO 2
5.	Find the roots for the function $f(x) = x^2 - 2$ in $R[x]$ and $Q[x]$.	BTL -1	Applying	CO 2
6.	How many polynomials in \mathbb{Z}_5 has degree 3?	BTL -1	Applying	CO 2
7.	How many polynomials in \mathbb{Z}_7 has degree 5?	BTL -2	Understanding	CO 2
8.	If $f(x) = 7x^4 + 4x^3 + 3x^2 + x + 4$ & $g(x) = 3x^3 + 5x^2 + 6x + 1$, $f(x), g(x) \in \mathbb{Z}_7[x]$, then find $f(x) + g(x)$ & $\deg(f(x) + g(x))$.	BTL -2	Understanding	CO 2
9.	Determine all polynomials of degree 2 in $\mathbb{Z}_2[x]$.	BTL -1	Applying	CO 2
10.	Define irreducible polynomial.	BTL -2	Understanding	CO 2
11.	Determine whether $x^2 + 1$ is an irreducible polynomial over the field $\{0,1\}$.	BTL -1	Analyzing	CO 2
12.	Show that $x^2 + x + 1$ is irreducible over \mathbb{Z}_5 .	BTL -1	Applying	CO 2
13.	Show that $x^2 + 1$ is irreducible in $\mathbb{Z}_3[x]$.	BTL -1	Analyzing	CO 2
14.	Obtain reducible polynomial of degree six with no roots in \mathbb{Z}_2 .	BTL -2	Understanding	CO 2
15.	Does the set $F = \{0,1,2,3\}$ form a field with respect to addition modulo 4 and multiplication modulo 4? Why?	BTL -2	Analyzing	CO 2
16.	If $f(x) = x^5 - 2x^2 + 5x - 3$ and $g(x) = x^4 - 5x^3 + 7x$ are polynomials in $\mathbb{Q}[x]$, determine $q(x)$ and $r(x)$ such that $f(x) = q(x)g(x) + r(x)$	BTL -1	Remembering	CO 2
17.	Find quotient and remainder when $g(x) = 2x-1$ divides $f(x) = 2x^4 + 5x^3 - 7x^2 + 4x + 8$, where $f(x)$ and $g(x)$ are polynomials over $\mathbb{Q}[x]$	BTL -2	Analyzing	CO 2
18.	What is the remainder when $f(x) = x^7 - 6x^5 + 4x^4 - x^2 + 3x - 7 \in \mathbb{Q}[x]$ is divided by $x - 2$.	BTL -2	Understanding	CO 2
19.	State division algorithm for polynomials.	BTL -1	Analyzing	CO 2
20.	State Remainder theorem.	BTL -1	Applying	CO 2

21.	Define characteristics of a field.	BTL -2	Understanding	CO 2
22.	State Euclidean algorithm.	BTL -2	Analyzing	CO 2
23.	Find two non-zero polynomials $f(x)$ and $g(x)$ in $Z_6[x]$ such that $f(x)g(x) = 0$	BTL -1	Applying	CO 2
24.	Check the reducibility of $f(x) = x^2 + 3x - 1$ in $Q[x]$, $R[x]$ and $C[x]$	BTL -2	Understanding	CO 2
25.	Check the reducibility of $f(x) = x^3 - 1$ in $Q[x]$, $R[x]$ and $C[x]$	BTL -2	Analyzing	CO 2
PART – B				
1.	Let $\mathbb{R}[x]$ be a polynomial ring, then Prove the following (a) If \mathbb{R} is commutative then $\mathbb{R}[x]$ is commutative. (b) If \mathbb{R} is a ring with unity then $\mathbb{R}[x]$ is a ring with unity. (c) $\mathbb{R}[x]$ is an integral domain if and only if \mathbb{R} is an integral domain.	BTL -3	Applying	CO 2
2.(a)	Find $f(x) + g(x)$, $f(x) - g(x)$ and $f(x)g(x)$ such that $f(x) = x^4 + x^3 + x + 1$, $g(x) = x^3 + x^2 + x + 1$ over $Z_2[x]$	BTL -4	Evaluating	CO 2
2.(b)	Find all the roots of $f(x) = x^5 - x$ in $Z_5[x]$ and then write $f(x)$ as a product of first degree polynomials	BTL -3	Evaluating	CO 2
3.	If \mathbb{R} is a ring then prove that $(\mathbb{R}[x], +, \cdot)$ is a ring called a polynomial ring over \mathbb{R} .	BTL -3	Applying	CO 2
4.(a)	Let $(\mathbb{R}, +, \cdot)$ be a commutative ring with unity u . Then \mathbb{R} is an integral domain if and only if for all $f(x), g(x) \in \mathbb{R}[x]$, if neither $f(x)$ nor $g(x)$ is the zero polynomial, then prove that $\text{degree of } f(x)g(x) = \text{degree } f(x) + \text{degree } g(x)$.	BTL -3	Applying	CO 2
4.(b)	Find the remainder when $g(x) = 7x^3 - 2x^2 + 5x - 2$ is divided by $f(x) = x - 3$ and $f(x), g(x) \in Z[x]$	BTL -3	Applying	CO 2
5.	State and Prove (i) Remainder Theorem (ii) Factor theorem	BTL -3	Applying	CO 2
6.(a)	Find all roots of $f(x) = x^2 + 4x$ if $f(x) \in Z_{12}$.	BTL -3	Applying	CO 2
6.(b)	If $g(x) = x^5 - 2x^2 + 5x - 3$ & $f(x) = x^4 - 5x^3 + 7x$ Find $q(x), r(x)$ such that $g(x) = f(x)q(x) + r(x)$.	BTL -3	Applying	CO 2
7.	(i) Check whether $f(x) = x^4 + x^3 + x^2 + x + 1 \in Z_2[x]$ is irreducible or not? (ii) Discuss whether $x^4 + x^3 + 1$ is reducible over Z_2 .	BTL -3	Remembering	CO 2
8.(a)	If F is a field and $f(x) \in F[x]$ has degree ≥ 1 , then prove that $f(x)$ has at most n roots in F .	BTL -4	Analyzing	CO 2
8.(b)	If $f(x) = 3x^5 - 8x^4 + x^3 - x^2 + 4x - 7$, $g(x) = x + 9$ and $f(x), g(x) \in Z_{11}[x]$, find the remainder when $f(x)$ is divided by $g(x)$.	BTL -3	Applying	CO 2
9.	(i) Find all the roots of $f(x) = x^3 + 5x^2 + 2x + 6$ in $Z_7[x]$ And then write $f(x)$ as a product of first degree polynomials	BTL -3	Evaluating	CO 2

	(ii) Determine whether the given polynomial is irreducible or not? $f(x) = x^2 + x + 1$ over Z_3, Z_5, Z_7 (iii) Find four distinct linear polynomials $g(x), h(x), s(x), t(x) \in Z_{12}[x]$ so that $f(x) = g(x)h(x) = s(x)t(x)$.			
10.	Discuss whether $x^4 - 2$ is reducible over $\mathbb{Q}, \mathbb{R}, \mathbb{C}$.	BTL -3	Applying	CO 2
11.	Let $(F, +, \cdot)$ be a field. If $\text{Char}(F) > 0$, then prove that $\text{Char}(F)$ must be Prime.	BTL -4	Analyzing	CO 2
12.(a)	Check whether $f(x) = x^4 + x^3 + x^2 + x + 1 \in Z_2[x]$ is irreducible or not?	BTL -3	Applying	CO 2
12.(b)	Find the gcd of $2x^3 + 2x^2 - x - 1$ and $2x^4 - x^2$ in $\mathbb{Q}[x]$	BTL -3	Applying	CO 2
13.	Identify the equivalence classes of $Z_2[x]$ with $S(x) = x^2 + x + 1$	BTL -4	Analyzing	CO 2
14.(a)	Write $f(x) = (2x^2 + 1)(5x^3 - 5x + 3)(4x - 3) \in Z_7[x]$ as a product of the unit and three Monic polynomial.	BTL -3	Applying	CO 2
14.(b)	Determine whether the following polynomial is irreducible or not? $f(x) = x^2 + 3x - 1$ in $\mathbb{R}[x], \mathbb{Q}[x], \mathbb{C}[x]$.	BTL -3	Applying	CO 2
15.	Determine whether the given polynomial is irreducible or not? $f(x) = x^2 + x + 1$ over Z_3, Z_5, Z_7	BTL -4	Analyzing	CO 2
16.(a)	If $f(x) = 4x^2 + 1, g(x) = 2x + 3, f(x), g(x) \in Z_8[x]$. Then show that $\deg f(x)g(x) = \deg f(x) + \deg g(x)$.	BTL -4	Analyzing	CO 2
16.(b)	If $f(x) = 2x^4 + 5x^2 + 2, g(x) = 6x^2 + 4$, then determine $q(x)$ and $r(x)$ in $\mathbb{Z}_7[x]$, where $f(x)$ is divided by $g(x)$.	BTL -3	Applying	CO 2
17.	Analyze the GCD of (i) $4x^3 - 2x^2 - 3x + 1$ and $2x^2 - x - 2$ in $\mathbb{Q}[x]$ (ii) $x^5 + x^4 + 2x^2 - x - 1$ and $x^3 + x^2 - x$ in $\mathbb{Q}[x]$	BTL -4	Analyzing	CO 2
18.(a)	Find the remainder when $g(x) = 6x^4 + 4x^3 + 5x^2 + 3x + 1$ is divided by $f(x) = 3x^2 + 4x + 2$ over polynomials in $\mathbb{Z}_7[x]$	BTL -3	Applying	CO 2
18.(b)	Find the g.c.d of $x^4 + x^3 + 2x^2 + x + 1$ and $x^3 - 1$ over \mathbb{Q} .	BTL -3	Applying	CO 2

UNIT III - ANALYTIC NUMBER THEORY

Division algorithm – Prime and composite numbers – GCD – Euclidean algorithm – Fundamental theorem of arithmetic – LCM

Q.No.	Question	BT Level	Competence	CO s
PART - A				
1.	State pigeon hole principle	BTL -1	Remembering	CO 3
2.	State divisible algorithm	BTL -1	Remembering	CO 3
3.	State principle of inclusion and exclusion	BTL -1	Remembering	CO 3
4.	Find the number of positive integers ≤ 3076 that are divisible by 17	BTL -2	Understanding	CO 3
5.	Find the number of positive integers ≤ 2076 that are not divisible by 19	BTL -2	Applying	CO 3

6	Find the number of positive integers ≤ 3076 that are divisible by 19	BTL -2	Applying	CO 3
7.	Prove that if n is odd then $n^2 - 1$ is divisible by 8	BTL -2	Understanding	CO 3
8	Define union, intersection and complement.	BTL -2	Understanding	CO 3
9.	Give the divisibility relation.	BTL -1	Applying	CO 3
10	Let $f(n)$ denote the number of positive factors of a positive integer n . Evaluate $f(12)$.	BTL -2	Understanding	CO 3
11.	Find the six consecutive integers that are composite	BTL -1	Analyzing	CO 3
12.	Express (12,15,21) as a linear combination of 12,15,and 21	BTL -1	Applying	CO 3
13.	Prove that the product of any two integers of the form $4n+1$ is also the same form	BTL -2	Analyzing	CO 3
14.	Use canonical decomposition to Evaluate the GCD of 168 and 180	BTL -2	Understanding	CO 3
15.	Use canonical decomposition to evaluate LCM of 1050 and 2574	BTL -1	Analyzing	CO 3
16.	Find the canonical decomposition of 2520	BTL -1	Remembering	CO 3
17.	Find the prime factorization of 420, 135, 1925	BTL -2	Analyzing	CO 3
18.	Using (252,360) construct [252,360]	BTL -2	Understanding	CO 3
19.	Find the twin primes p, q such that $[p, q] = 323$	BTL -1	Analyzing	CO 3
20.	Using recursion evaluate (18,30,60,75,132)	BTL -1	Applying	CO 3
21.	Find the GCD (414,662) using Euclidean algorithm	BTL -2	Understanding	CO 3
22.	Find the LCM (120.500)	BTL -2	Analyzing	CO 3
23.	Find the canonical decomposition of 1976	BTL -1	Applying	CO 3
24.	Use canonical decomposition to Evaluate the GCD of 72 and 108	BTL -2	Understanding	CO 3
25.	Use canonical decomposition to Evaluate the LCM of 110 and 210	BTL -1	Analyzing	CO 3
PART – B				
1.	If $a, b, c \in Z$ then (i) $a/a, \text{ for all } a \neq 0 \in Z$ (ii) $a/b \text{ and } b/c \text{ then } a/c, \forall a, b \neq 0, c \neq 0 \in Z$ (iii) $a/b \text{ then } a/bc, \forall a \neq 0, b \in Z$ (iv) $a/b \text{ and } a/c \text{ then } a/(xb + yc), \forall x, y \in Z, a \neq 0 \in Z$	BTL -3	Applying	CO 3
2.(a)	State and Prove Euclidean algorithm	BTL -4	Evaluating	CO 3
2.(b)	Find the number of positive integers ≤ 3000 divisible by 3, 5 or 7	BTL -4	Evaluating	CO 3
3.	Prove that (i) If p is a prime and p/ab then p/a or p/b (ii) If p is a prime and $p/a_1a_2a_3 \cdots a_n$, where $a_1, a_2, a_3, \cdots, a_n$ are positive integers then p/a_i for some $i, 1 \leq i \leq n$	BTL -3	Applying	CO 3
4.(a)	Prove that the GCD of two positive integers a and b is a linear combination of a and b	BTL -3	Applying	CO 3

4.(b)	Find the number of positive integers in the range 1976 through 3776 that are divisible by 13 and not divisible by 17	BTL -3	Applying	CO 3
5.	Prove that (i) every integer $n \geq 2$ has a prime factor. (ii) there are infinitely many primes.	BTL -3	Applying	CO 3
6.(a)	Find the number of integers from 1 to 250 that are divisible by any of the integers 2,3,5,7	BTL -3	Applying	CO 3
6.(b)	Prove that $(a, a - b) = 1$ if and only if $(a, b) = 1$	BTL -3	Applying	CO 3
7.	State and prove Fundamental Theorem of Arithmetic.	BTL -3	Remembering	CO 3
8.(a)	Prove the following If (i) $(a, m) = 1$ and $(a, n) = 1$, then $(ab, mn) = 1$ (ii) If a/c and b/c and $(a, b) = 1$, then ab/c	BTL -4	Analyzing	CO 3
8.(b)	Use Euclidean algorithm to find the GCD of (1819, 3587). Also express the GCD as a linear combination of the given numbers	BTL -3	Applying	CO 3
9.	State and Prove Euclid theorem	BTL -4	Evaluating	CO 3
10.(a)	Prove that there are infinitely many primes of the form $4n + 3$	BTL -4	Creating	CO 3
10.(b)	Use Euclidean algorithm to find the GCD of (12345, 54321). Also express the GCD as a linear combination of the given numbers	BTL -3	Applying	CO 3
11.	If a and b are positive integers then prove that (i) $[a, b] = \frac{a \cdot b}{(a, b)}$ (ii) Prove that two positive integers a and b are relatively prime iff $[a, b] = ab$	BTL -4	Analyzing	CO 3
12.	Use Euclidean algorithm to find the GCD of (2076, 1776). Also express the GCD as a linear combination of the given numbers	BTL -3	Applying	CO 3
13.	Use Euclidean algorithm to evaluate the GCD of (2024, 1024). Also express the GCD as a linear combination of the given numbers	BTL -4	Analyzing	CO 3
14.(a)	Prove that for every positive integer n there are n consecutive integers that are composite numbers	BTL -3	Applying	CO 3
14.(b)	Use Euclidean algorithm to find the GCD of (4076, 1024). Also express the GCD as a linear combination of the given numbers	BTL -3	Applying	CO 3
15.	(i) If $d = (a, b)$ and d' is any common divisor of a and b then d'/d (ii) For any positive integer m prove that $(ma, mb) = m(a, b)$ (iii) If $d = (a, b)$, then $\left(\frac{a}{d}, \frac{b}{d}\right) = 1$	BTL -4	Analyzing	CO 3
16.(a)	Construct the canonical decomposition of 23!	BTL -4	Analyzing	CO 3

16.(b)	Use Euclidean algorithm to find the GCD of (3076, 1976). Also express the GCD as a linear combination of the given numbers	BTL -3	Applying	CO 3
17.	If $d = (a, b)$ then (i) $(a, a - b) = d$ (ii)For any integer x then $(a, b) = (a, b + ax)$	BTL -4	Analyzing	CO 3
18.(a)	Find [24,28,36,40]	BTL -3	Applying	CO 3
18.(b)	Use Euclidean algorithm to find the GCD of 42823, 6409. Also express the GCD as a linear combination of the given numbers	BTL -3	Applying	CO 3
UNIT IV - DIOPHANTINE EQUATIONS AND CONGRUENCES				9L+3T
Linear Diophantine equations – Congruence’s – Linear Congruence’s – Applications: Divisibility tests – Modular exponentiation–Chinese remainder theorem – 2 X2 linear system				
Q.No.	Question	BT Level	Competence	CO s
PART – A				
1.	Define linear Diophantine Equation in two variables.	BTL -1	Remembering	CO 4
2.	Discuss whether $6x + 8y = 25$ is solvable	BTL -1	Remembering	CO 4
3.	Discuss whether $12x+18y=30$ is solvable	BTL -1	Remembering	CO 4
4.	Is $6x+12y+15z=10$ solvable?	BTL -2	Understanding	CO 4
5.	Prove that $9^{100} - 1$ is divisible by 10	BTL -2	Applying	CO 4
6	Prove that $a \equiv b \pmod{m}$ if and only if $a = b + km$ for some integer k .	BTL -1	Applying	CO 4
7.	Find the least residue of 23 modulo 5 , -3 modulo 5.	BTL -2	Understanding	CO 4
8	Define complete sets of residues modulo m.	BTL -2	Understanding	CO 4
9.	Find the Congruence classes modulo 5.	BTL -1	Applying	CO 4
10	Find the remainder when $1! + 2! + \dots + 100!$ is divided by 15.	BTL -2	Understanding	CO 4
11.	Find the remainder when $1! + 2! + \dots + 1000!$ is divided by 10.	BTL -2	Analyzing	CO 4
12.	Find the remainder when $1! + 2! + \dots + 1000!$ is divided by 12.	BTL -1	Applying	CO 4
13.	If $a \equiv b \pmod{m}$, then prove that $a^n \equiv b^n \pmod{m}$ for any positive integer n .	BTL -1	Analyzing	CO 4
14.	If $ac \equiv bc \pmod{m}$ and $(c, m) = 1$, then $a \equiv b \pmod{m}$.	BTL -2	Understanding	CO 4
15.	If $ac \equiv bc \pmod{m}$ and $(c, m) = d$, then $a \equiv b \pmod{\frac{m}{d}}$.	BTL -2	Analyzing	CO 4
16.	Determine whether the congruence $8x \equiv 10 \pmod{6}$ is solvable.	BTL -1	Remembering	CO 4

17.	Determine whether the congruence $2x \equiv 3 \pmod{4}$ is solvable.	BTL -1	Analyzing	CO 4
18.	Determine whether the congruence $4x \equiv 7 \pmod{5}$ is solvable.	BTL -2	Understanding	CO 4
19.	Determine whether the congruence $8x \equiv 10 \pmod{6}$ is solvable.	BTL -2	Analyzing	CO 4
20.	Using Chinese Remainder theorem, determine whether the linear system is solvable $x \equiv 7 \pmod{9}$, $x \equiv 11 \pmod{12}$.	BTL -1	Applying	CO 4
21.	Using Chinese Remainder theorem, determine whether the linear system is solvable $x \equiv 3 \pmod{6}$, $x \equiv 5 \pmod{8}$.	BTL -2	Understanding	CO 4
22.	Using Chinese Remainder theorem, determine whether the linear system is solvable $x \equiv 2 \pmod{10}$, $x \equiv 7 \pmod{15}$.	BTL -1	Analyzing	CO 4
23.	Define 2x2 linear system.	BTL -2	Applying	CO 4
24.	State Chinese Remainder Theorem.	BTL -2	Understanding	CO 4
25.	Define Congruence and incongruence solution.	BTL -1	Analyzing	CO 4
PART B				
1.	Prove that the linear Diophantine equation $ax + by = c$ is solvable if and only if $d c$, where $d = (a, b)$. If x_0 and y_0 is a particular solution of the linear Diophantine equation, then all its solutions are given by $x = x_0 + \frac{dt}{a}$, $y = y_0 - \frac{at}{b}$ where t is an arbitrary integer	BTL -3	Applying	CO 4
2.	Solve $71x - 50y = 1$	BTL -2	Understanding	CO 4
3.	Solve $1776x + 1976y = 4152$	BTL -3	Applying	CO 4
4.(a)	Solve $93x - 81y = 3$	BTL -3	Applying	CO 4
4.(b)	Find the remainder when $(n^2 + n + 41)^2$ is divided by 12	BTL -3	Applying	CO 4
5.	Find the general solution of the linear Diophantine equation $6x + 8y + 12z = 10$	BTL -3	Applying	CO 4
6.(a)	Determine if each linear Diophantine equation is solvable (i) $12x + 16y = 18$ (ii) $28x + 91y = 119$,	BTL -3	Applying	CO 4
6.(b)	Find the least positive integer that leaves the remainder 3 when divided by 7, 4 when divided by 9 and 8 when divided by 11	BTL -3	Applying	CO 4
7.	Prove that (i) $a \equiv b \pmod{m}$ if and only if $a = b + km$ for some integer k (ii) Prove that the relation ' \equiv ' (congruence) is an equivalence relation	BTL -1	Remembering	CO 4
8.(a)	Prove that $a \equiv b \pmod{m}$ iff a and b leave the same remainder when divided by m .	BTL -4	Analyzing	CO 4
8.(b)	Solve $3x + 13y \equiv 8 \pmod{55}$, $5x + 21y \equiv 34 \pmod{55}$	BTL -3	Applying	CO 4

9.	Prove that the integer r is the remainder when a is divided by m iff $a \equiv r \pmod{m}$ where $0 \leq r < m$	BTL -4	Evaluating	CO 4
10.	Solve $x \equiv 1 \pmod{3}$, $x \equiv 2 \pmod{4}$, $x \equiv 3 \pmod{5}$	BTL -3	Applying	CO 4
11.	Prove that, let $a \equiv b \pmod{m}$ and $c \equiv d \pmod{m}$ then (i) $a + c \equiv b + d \pmod{m}$ (ii) $ac \equiv bd \pmod{m}$ (iii) $a^n \equiv b^n \pmod{m}$ for any positive integer n	BTL -4	Analyzing	CO 4
12.	Solve $2x + 3y \equiv 4 \pmod{13}$, $3x + 4y \equiv 5 \pmod{13}$	BTL -3	Applying	CO 4
13.	State and prove Chinese remainder theorem	BTL -4	Analyzing	CO 4
14.(a)	Verify that whether the number of prime of the form $4n + 3$ be expressed as the sum of two squares	BTL -3	Applying	CO 4
14.(b)	Compute the remainder when 3^{247} is divided by 25	BTL -3	Applying	CO 4
15.	The linear congruence $ax \equiv b \pmod{m}$ is solvable if and only if d/b , where $d = (a, m)$. If d/b , then it has d incongruent solutions	BTL -4	Analyzing	CO 4
16.	Compute the remainder when 5^{31} is divided by 12	BTL -4	Analyzing	CO 4
17.	If n is any integer then show that (i) $n^2 + n \equiv 0 \pmod{2}$ (ii) $n^4 + 2n^3 + n^2 \equiv 0 \pmod{4}$ (iii) $2n^3 + 3n^2 + n \equiv 0 \pmod{6}$	BTL -4	Analyzing	CO 4
18.(a)	Compute the remainder when 23^{1001} is divided by 17	BTL -3	Applying	CO 4
18.(b)	Find the incongruent solutions of $28x \equiv 119 \pmod{91}$	BTL -3	Applying	CO 4
UNIT V - CLASSICAL THEOREMS AND MULTIPLICATIVE FUNCTIONS Wilson's theorem – Fermat's little theorem – Euler's theorem – Euler's Phi functions – Tau and Sigma functions.				
Q.No.	Question	BT Level	Competence	CO s
PART – A				
1.	State Fermat's Theorem	BTL -1	Remembering	CO 5
2.	State Wilsons Theorem	BTL -1	Remembering	CO 5
3.	State Euler's Theorem	BTL -1	Remembering	CO 5
4.	Define Euler Phi Function	BTL -2	Understanding	CO 5
5.	Define Tau Function	BTL -1	Applying	CO 5
6	Define Sigma Function	BTL -1	Applying	CO 5

7.	Show that 11 is self invertible.	BTL -2	Understanding	CO 5
8	Evaluate $\frac{(np)!}{n! p^n}$ if n= 46, p= 5	BTL -2	Understanding	CO 5
9.	How many primes are there of the form $m! + 1$ when $m \leq 100$?	BTL -1	Applying	CO 5
10	Find the self-invertible least residue modulo each prime 7 and 19	BTL -2	Understanding	CO 5
11.	Solve $x^2 \equiv 1 \pmod{6}$	BTL -2	Analyzing	CO 5
12.	Find the least residues of $1, 2, \dots, p - 1 \pmod{7}$	BTL -1	Applying	CO 5
13.	Let p be a prime number and a any integer such that $p \nmid a$ then prove that a^{p-2} is an inverse of a modulo p	BTL -1	Analyzing	CO 5
14.	Evaluate the inverse of 12 modulo 7	BTL -2	Understanding	CO 5
15.	Solve the linear congruence of $12x \equiv 6 \pmod{7}$	BTL -2	Analyzing	CO 5
16.	Solve the linear congruence of $24x \equiv 11 \pmod{17}$	BTL -1	Remembering	CO 5
17.	Create $\phi(11)$ and $\phi(18)$	BTL -1	Analyzing	CO 5
18.	Solve the linear congruence of $35x \equiv 47 \pmod{24}$	BTL -2	Understanding	CO 5
19.	Define Multiplication Theorem	BTL -2	Analyzing	CO 5
20.	Compute $\phi(47), \phi(223), \phi(7919)$	BTL -1	Applying	CO 5
21.	Compute $\phi(15,625)$	BTL -2	Understanding	CO 5
22.	Find the twin primes p and q if $\phi(pq) = 288$	BTL -2	Analyzing	CO 5
23.	Compute $\tau(81), \tau(2187)$	BTL -2	Applying	CO 5
24.	Compute $\tau(1560), \tau(6120)$	BTL -2	Understanding	CO 5
25.	Compute $\sigma(97), \sigma(36)$	BTL -1	Remembering	CO 5
PART – B				
1.	Prove that a positive integer a is invertible modulo p iff $a \equiv \pm 1 \pmod{p}$ and hence prove Wilson's Theorem.	BTL -3	Applying	CO 5
2.(a)	Find the remainder of $13!$ When divided by 19	BTL -4	Evaluating	CO 5
2.(b)	Find the remainder when 7^{1001} is divided by 17	BTL -4	Evaluating	CO 5

3.	Verify $(p - 1)! \equiv -1 \pmod{p}$, when $p=13$ (i) Without using Wilson's theorem (ii) Using Wilson's theorem	BTL -3	Applying	CO 5
4.(a)	Find the remainder of $17!$ When divided by 23	BTL -3	Applying	CO 5
4.(b)	Find the remainder when 24^{1947} is divided by 17	BTL -3	Applying	CO 5
5	If n is a positive integer such that $(n - 1)! \equiv -1 \pmod{p}$	BTL -3	Applying	CO 5
6.	Find the remainder when 15^{1976} is divided by 23	BTL -3	Applying	CO 5
7.	Let p be a prime and a any integer such that $p \nmid a$ then (i) prove that the solution of the linear congruence $ax \equiv b \pmod{p}$ is given by $x \equiv a^{p-2} b \pmod{p}$ (ii) Let p be a prime and a any positive integer then show that $a^p \equiv a \pmod{p}$	BTL -1	Remembering	CO 5
8.(a)	Verify that $\sum_{d n} \phi(d) = n$ for $n=28$	BTL -4	Analyzing	CO 5
8.(b)	Find the remainder when 31^{1706} is divided by 23	BTL -3	Applying	CO 5
9.	If f is a multiplicative function. Then show that $F(n) = \sum_{d n} f(d)$ is also multiplicative	BTL -4	Evaluating	CO 5
10.(a)	Solve the linear congruence $5x \equiv 3 \pmod{24}$	BTL -4	Creating	CO 5
10.(b)	Let p and q are distinct prime then prove that $p^{q-1} + q^{p-1} \equiv 1 \pmod{pq}$	BTL -3	Applying	CO 5
11.	Evaluate $\tau(n)$ and $\sigma(n)$ for each $n = 43, 1560, 44982$ and 496	BTL -3	Applying	CO 5
12.	Create the remainder when 245^{1040} is divided by 18 and the remainder when 7^{1020} is divided by 15	BTL -3	Creating	CO 5
13.(a)	Let n be a positive integer with canonical decomposition $n = p_1^{e_1} p_2^{e_2} \dots p_k^{e_k}$ then show that $\tau(n) = (e_1 + 1)(e_2 + 1) \dots (e_k + 1)$ and $\sigma(n) = \frac{p_1^{e_1+1}-1}{p_1-1} \cdot \frac{p_2^{e_2+1}-1}{p_2-1} \dots \frac{p_k^{e_k+1}-1}{p_k-1}$. Also compute $\tau(6120)$ and $\sigma(6120)$.	BTL -4	Analyzing	CO 5
13.(b)	Let p be a prime and e any positive integer then prove that $\tau(p^e) = e + 1$ and $\sigma(p^e) = \frac{p^{e+1}-1}{p-1}$. Also find $\tau(49)$	BTL -3	Applying	CO 5
14.(a)	State and Prove Euler's Theorem.	BTL -3	Applying	CO 5
14.(b)	Evaluate the remainder when 199^{2020} is divided by 28 and the remainder when 79^{1776} is divided by 24	BTL -3	Applying	CO 5

15.	Show that the Euler's φ function is multiplicative function.	BTL -4	Analyzing	CO 5
16.(a)	Find the remainder when $35^{32} + 51^{24}$ is divisible by 1785	BTL -4	Analyzing	CO 5
16.(b)	Show that the Tau and Sigma functions are multiplicative function. Also compute $\tau(36)$ and $\sigma(36)$	BTL -3	Applying	CO 5
17.	Using Euler's Theorem, evaluate the ones digit in the decimal value of each (i) 17^{666} (ii) 23^{777}	BTL -4	Analyzing	CO 5
18.	Solve the linear congruence $15x \equiv 7 \pmod{13}$	BTL -3	Applying	CO 5

